

Data Sheet

Presentations involving candles and open flames (e.g. bioethanol)

1. Contact person

Leipziger Messe GmbH
Technical Event Management Department (TI-VT)

Messe Allee 1
04356 Leipzig

Tel.: 0341 / 678 - 9906
E-Mail: veranstaltungstechnik@leipziger-messe.de

This department coordinates all required boundary conditions with the company's project manager.

2. Application area and principles

This data sheet applies solely to the premises of Leipziger Messe GmbH.

The use of open flames during presentations at the trade fair stand is subject to approval (supplementary statement on form A1 "Stand construction application" or in the online ordering system).

The use of flammable liquids must be reported to Leipziger Messe in a timely manner (order form A11 "Flammable liquids").

This data sheet does not affect the validity of the Technical Guidelines.

3. Requirements and information

1. Candles, candle holders and (ethanol) burners are the exhibition item.
2. Candles and tea lights are positioned in stable candle holders.
3. (Ethanol) burners are located on a stable and non-flammable underlay, preferably filled with sand.
4. These items must be at least 0.5 metres away from decorations and other exhibits, and to the border of the aisle/hallway.
5. The number that is suitable for the product presentation may not be exceeded (approx. one candle per square metre of stand space).
6. At least one fire extinguisher (min. 6 LE) must be held available at the stand.
7. A person in charge of the trade fair stand must be appointed in writing - this person is responsible for monitoring the stand during the time that items are burning.
8. The storage of flammable liquids inside the trade fair building for stocking purposes is prohibited.
9. Burners must be filled outside of visitor hours.
10. Leipziger Messe GmbH reserves the right of objection in the case of hazards.

4. Implementation

Use may only be commenced once all boundary conditions and requirements have been met.