

Product catalogue



KLUG's expertise. Preserving values. Securing the future.

For more than 150 years, KLUG-CONSERVATION has been recognized as a trusted and reliable partner in the preservation of movable cultural assets. With a commitment to excellence, precision and responsibility, we support institutions worldwide – including archives, museums, libraries, conservators and professional art framers – in safeguarding cultural heritage for future generations. Preserving values means more than protection: it safeguards identity, history and cultural legacy.

Our guiding principle, "Preserving values," reflects both our mission and sense of responsibility. Through consistent material quality and rigorously verified standards, we ensure maximum reliability, credibility and long-term continuity. Honesty, a spirit of partnership and respectful dialogue form the foundation for long-lasting collaboration.

Working closely with clients, industry experts, academic institutions and research organizations, we develop innovative, solution-oriented conservation concepts. Our portfolio ranges from the development and production of durable, age resistant papers to premium-quality preservation materials and their professional application. We provide comprehensive, complete integrated end-to-end solutions from a single trusted partner. Our customer service supports you with dedicated personal assistance, expert advice and fast, response times.

KLUG-CONSERVATION combines traditional paper craftsmanship with state-of-the-art innovation. This unique combination enables us to ensure sustainable preservation of cultural assets at the highest professional level.

Brochure information with effect from July 2026.

Quality guarantee

KLUG-CONSERVATION consequently manufactures their ageing resistant paper and board products in accordance with strictly set conservation and preservation regulations and to internationally recognized standards.

We provide each product with a legal binding guarantee certificate on the technological basis of the EN ISO 9706:2026 and ISO 16245:2023 standards. Products made for photographic archival storage have successfully passed the Photographic Activity Test (PAT) ISO 18916:2025.

Each of our products is supplied with a quality guarantee certificate, which legally covers far more than the normal warranty terms, ensuring that the material used meets the requirements for ageing resistance.

For you as our valued customer that means, regardless of any individual tests and results, such as those from independent institutes, e.g. "The Paper Technological Foundation (PTS)", the quality of the product we have supplied strictly meets the requirements stated in the "Quality Guarantee Certificate".



On the safe side

Quality assurance plays a very important role at KLUG-CONSERVATION. This is clearly demonstrated by certifications for our products and services obtained from independent institutions. As a reliable long-term partner, we offer our customers maximum security and full confidence in our products.



The ISO 9001 standard defines the requirements for quality management systems and also stipulates that, in addition to meeting customer expectations, legal and regulatory requirements must also be fulfilled. We comply with all these standards and deliver high-quality products and services.



As a manufacturer and retailer of FSC-certified paper and board products, Walter Klug GmbH & Co. KG holds a chain of custody (CoC) certification. This means that all steps of the supply chain – from the forest to the final finished product – are certified according to applicable FSC® standards and reviewed annually.



KLUG-CONSERVATION has committed to becoming climate-neutral by 2030. We have joined the climate alliance 'Climate-Neutral Allgaeu' and the 'Alliance for Development and Climate Foundation'. The initial focus will be on reducing our own CO₂ emissions by means of improved energy efficiency and increased use of renewable energies on site.



Find out more about the FSC® certification of our products and all the details of our participation in the Climate Neutral Alliance Allgaeu 2030.

klug-conservation.com/certifications



Sustainable with a sense of social responsibility

Our actions are based on sustainability. Humankind and the environment play a major role in all our business decisions. We strive to conserve resources, promote regenerative practices and act in a socially responsible manner. This is reflected by our products and their manufacturing process as well as our social commitment.

Find out more about our efforts regarding energy efficiency in the production process and achieving climate neutrality as well as our commitment to preserving cultural assets. Discover our products made from natural raw materials that we develop, manufacture and sell.

klug-conservation.com/sustainability



Infinite solutions



You can take your pick from our standard range of products, which are based on the modular design concept, or you can choose to let us create a product custom-made for you.

You have the idea, we create the solution!

In the case that the product you require is not available in our standard range or all combination possibilities have been exhausted, you can choose to let us develop, together with you, an item that uniquely caters to your preservation requirements. By exclusively using our guaranteed ageing-resistant paper and board materials as a base, we are able to make your unconventional, creative ideas a reality – from a prototype up to large scale production. It will be our pleasure to assist you.


- **Standard assortment:** Products available ex-stock or at short notice (products in this catalogue)
- **Modular design concept:** If you are unable to find the required product in our standard range of products, our modular-based inventory allows for a variety of combination possibilities (e.g. colour, thickness, size, etc.) – Please feel free to make use of our online configurators.
- **Custom-made:** We will create, keeping in mind your ideas, a specialized product that uniquely caters to your requirements. Please do not hesitate to contact us: we will gladly advise you.

Service benefits



Advisory service

- Free examination of your artwork collection (inventory)
- Free development of your preservation project
- Complete handling of your preservation project




Measurement

- Free provision of a measuring device to allow quick and precise measurement of two-dimensional (e.g. graphic art, photographs etc.) and three-dimensional (e.g. books, files etc.) objects
- Measurement of the dimensions of objects as well as signatures and titles to the nearest millimetre



Cutting

- Sizes with plus tolerance – max. ± 7 mm
- Rough cuts of formats for most product free of charge, for orders of more than 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths)
- Fine cuts (e.g. 4-sided angular cut), special and customised formats on request
- Passepartout/mount cutting service




Lamination

- Individual custom-made lamination (modular concept)
- Various board thicknesses available
- Special colours on request




Packaging

- Individual packaging units on request
- Ream packaging in paper or plastic bags
- Packaging of individual product combinations on request (e.g. box filled with envelopes etc.)



Assembly/Folding

- All folders, binders and boxes – on request – also available assembled and folded ready-for-use
- Or space-saving storage and easy handling due to delivery as flat goods
- Flat goods for quick assembly in few steps, with clear folding instructions as animated images or PDF



Tolerances

The following production tolerances are to be taken into consideration:

- **Quantity tolerance for paper**
 $\pm 3\%$ however a minimum of ± 5 sheets per quantity unit
- **Quantity tolerance for board, corrugated board**
 $\pm 3\%$
- **Quantity tolerance for enclosures, folders, boxes**
 $\pm 8\%$
- **Weight (grammage) tolerance**
 $\pm 7\%$
- **Thickness (calliper) tolerance**
Paper and board up to 300 gsm $\pm 10\%$, board > 300 gsm $\pm 5\%$, corrugated board $\pm 8\%$
- **Dimensional (size) tolerance for paper and board material**
Sizes with plus tolerance – max. ± 7 mm, cutting tolerance 4-sided angular cut ± 2 mm
- **Dimensional (size) tolerance for corrugated board**
Cutting tolerance ± 3 mm
- **Dimensional (size) tolerance for reeled paper**
Roll width ± 5 mm, running metres $\pm 3\%$
- **Dimensional (size) tolerance for enclosures, folders, boxes**
Plus tolerance up to 5%
- **Dimensional (size) tolerance for envelope enclosures**
Angle tolerance ± 2 mm, format (size) tolerance ± 3 mm
- **Dimensional (size) tolerance for tubes**
Diameter and tube wall thickness ± 0.3 mm, lengths ± 10 mm
- **Tolerance perpendicularity in case of cuttings with 4-sided angular cut**
Angle tolerance 0.6% however a minimum of 3mm for 1m length
- **Planarity tolerance for corrugated board**
Planarity (flatness) tolerance ± 15 mm for 1m length
- **Spots (fibre residues and pulp impurities)**
Spots up to a size of 0.4 mm are considered insignificant. Spots up to 0.9 mm are acceptable, provided they do not exceed a maximum of two spots per m² in accordance with the mounting board standard.
- **pH tolerance**
 ± 0.5 variation on the pH scale (pH 7, pH 6.5 and 7.5 are also permitted)

Deviating tolerances are to be agreed upon separately.

1. Boards

1.1	Mounting boards	10
1.2	Conservation boards	18
1.3	Backing boards	19
1.4	Archival boards	20
1.5	Photographic archival boards	21
1.6	Blotting boards	24
1.7	Mount configurator	25

2. Corrugated boards

2.1	Corrugated boards	26
-----	-------------------	----

3. Honeycomb panel

3.1	Honeycomb panels	33
-----	------------------	----

4. Paper

4.1	Archival paper	34
4.2	Museum paper	35
4.3	Photographic archival paper	37
4.4	Japanese paper	38
4.5	Silk tissue paper	39
4.6	Glassine paper	41
4.7	Blotting paper	42

5. Boxes

5.1	Clamshell boxes	43
5.2	Wraparound boxes	54
5.3	Archival boxes	56
5.4	Archival boxes for rolled storage	65
5.5	Slipcases, shelf files	68
5.6	Two-piece boxes	72
5.7	Folded boxes for film reel storage	86
5.8	Box configurator	87

6. Tubes

6.1	Tubes made from conservation board	88
6.2	Tube caps	89

7. Cardboard pages/folders

7.1	Cardboard pages	90
7.2	Folders without flaps	91
7.3	Folders with flaps „Juris folders“	92
7.4	Folders with filing mechanism	102
7.5	Preservation folders	102

8. Enclosures

8.1	Folder enclosures	103
8.2	Envelopes U-style	104
8.3	Envelopes L-style	107

8.4	Binder pocket pages	108
8.5	Four flap folders	110
8.6	Envelopes for documents	111
8.7	Seal bags	112

9. Glues/Tapes

9.1	Glues	113
9.2	Tapes	114

10. Accessories

10.1	Label paper	115
10.2	Label signatures	116
10.3	Label frames	117
10.4	Barcode labels	118
10.5	Mounting accessories	118
10.6	Fastening paper strips	119
10.7	Polyester nonwoven fabric	120
10.8	Polyamide filing mechanism	120
10.9	Transfer filing tool	121
10.10	Albertina poultice	121
10.11	Panduran pen	122
10.12	Set for determination of grammage	122

11. Boxing system

11.1	Boxing system	123
------	---------------	-----

1. Boards

1.1 Mounting boards

H Variety – white



An economically priced mounting board for conservation-quality picture framing, mounting, displays and exhibits. Top surface available in various white shades with high light-fastness, surface structure vellum or ribbed. Base board in white.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Please note: The illustrated top surface colours and structures match the actual products approximately. For exact colour and surface structure please request for single samples.

Item	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour (top surface in white shades/base board white)
10162	1.6	80 x 100	1140	10	H10 porcelain, ribbed
10163	1.6	100 x 140	1140	10	H10 porcelain, ribbed
10212	2.1	80 x 100	1635	10	H10 porcelain, ribbed
10213	2.1	100 x 140	1635	10	H10 porcelain, ribbed
10302	3.1	80 x 100	2250	10	H10 porcelain, ribbed
10303	3.1	100 x 140	2250	5	H10 porcelain, ribbed
11162	1.6	80 x 100	1140	10	H11 pure white, ribbed
11163	1.6	100 x 140	1140	10	H11 pure white, ribbed
11212	2.1	80 x 100	1635	10	H11 pure white, ribbed
11213	2.1	100 x 140	1635	10	H11 pure white, ribbed
11302	3.1	80 x 100	2250	10	H11 pure white, ribbed
11303	3.1	100 x 140	2250	5	H11 pure white, ribbed
12162	1.6	80 x 100	1140	10	H12 powder, ribbed
12163	1.6	100 x 140	1140	10	H12 powder, ribbed
12212	2.1	80 x 100	1635	10	H12 powder, ribbed
12213	2.1	100 x 140	1635	10	H12 powder, ribbed
12302	3.1	80 x 100	2250	10	H12 powder, ribbed
12303	3.1	100 x 140	2250	5	H12 powder, ribbed
14162	1.6	100 x 80	1140	10	H14 ivory, vellum
14163	1.6	140 x 100	1140	10	H14 ivory, vellum
14212	2.1	80 x 100	1635	10	H14 ivory, vellum
14213	2.1	100 x 140	1635	10	H14 ivory, vellum
14302	3.1	80 x 100	2250	10	H14 ivory, vellum
14303	3.1	100 x 140	2250	5	H14 ivory, vellum
20162	1.6	80 x 100	1140	10	H20 snow white, vellum
20163	1.6	100 x 140	1140	10	H20 snow white, vellum
20212	2.1	80 x 100	1635	10	H20 snow white, vellum
20213	2.1	100 x 140	1635	10	H20 snow white, vellum

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards

1. Boards

1.1 Mounting boards

H Variety – white


[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards

1. Boards

1.1 Mounting boards

H Variety – black



An economically priced, high-quality black mounting board with excellent diagonal cutting characteristics, ideal for conservation-quality framing, mounting, displays and exhibits. All qualities highly light-fast, available with a black or white base. **Cuttings:** Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour (top ply/base board)
<i>H17, top surface black, base board black</i>						
17162	✓	1.6	80 x 100	1140	10	black, ribbed/white
17203	✓	2.1	80 x 100	1635	10	black, ribbed/white
17303	✓	3.1	80 x 100	2250	10	black, ribbed/white
<i>H68, top surface black, base board white</i>						
68162	✓	1.6	80 x 100	1140	10	black, ribbed/white
68212	✓	2.1	80 x 100	1635	10	black, ribbed/white
68303	✓	3.1	80 x 100	2250	10	black, ribbed/white

1.1 Mounting boards

O15 – light white



An economically priced, light white solid colour (dyed throughout) mounting board ideal for conservation-quality picture framing and mounting, displays and museum exhibits. Also available in oversize.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour
015075/7	✓	0.75	124 x 144	550	20	light white
01515/7	✓	1.5	124 x 144	1130	10	light white
01526/7	✓	2.6	170 x 252 ^{1) 4)}	1970	3 ^{5) 6)}	light white
01530/7	✓	3.0	124 x 144	2200	10	light white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; **ES** = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ¹²⁾ packed in polybags per sales unit

1. Boards

1.1 Mounting boards

018 - white



An economically priced, white solid colour (dyed throughout) mounting board with excellent diagonal cutting characteristics. Ideal for conservation-quality picture framing and mounting, displays and museum exhibits.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards

1. Boards

1.1 Mounting boards

019 – natural white/white



An economically priced mounting board, natural white/white in colour with excellent diagonal cutting characteristics. Ideal for conservation-quality picture framing and mounting, displays and museum exhibits.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.


[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; **ES** = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit
¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.1 Mounting boards

024 – soft white/white



An economically priced mounting board, soft white/white in colour with excellent diagonal cutting characteristics, ideal for conservation-quality framing, mounting, displays and exhibits. **Cuttings:** Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit ¹²⁾	Colour (top ply/base board)
02418/4		1.8	90 x 120	1225	10	soft white/white
02418/2		1.8	100 x 140	1225	10	soft white/white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; **ES** = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ¹²⁾ packed in polybags per sales unit

1. Boards

1.2 Conservation boards

017 ES – natural white

An inexpensive, natural white, solid colour (dyed throughout) conservation board manufactured in *ES*-quality, possessing excellent diagonal cutting characteristics. Ideal for conservation-quality picture framing and mounting, displays and museum exhibits. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; **ES** = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit
¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.2 Conservation boards

084 ES – cream



A compact and sturdy cream, solid colour (dyed throughout) conservation board manufactured in ES-quality, possessing excellent diagonal cutting characteristics. Ideal for conservation-quality picture framing and mounting, displays and museum exhibits. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with the ISO 18916. **Cuttings:** Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	ES	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit ⁴⁾	Colour
0843			0.3	100 x 140	225	50	cream
0845	✓		0.5	100 x 140	345	50	cream
08418/1	✓	✓	1.0	100 x 140	710	15	cream
08418/15	✓	✓	1.5	100 x 140	1080	10	cream
08418/3	✓	✓	2.0	100 x 140	1520	10	cream
08418/6	✓	✓	2.5	100 x 140	1855	10	cream
08418/4	✓	✓	3.0	100 x 140	2200	5	cream

1.2 Conservation boards

086 ES – ivory



A compact and sturdy ivory solid colour (dyed throughout) conservation board possessing excellent diagonal cutting characteristics. Ideal for conservation-quality picture framing and mounting, displays and museum exhibits. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with the ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	ES	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit ⁴⁾	Colour
086805/2	✓		0.5	100 x 140	340	50	ivory
086825/2	✓	✓	2.5	100 x 140	1855	10	ivory
086830/2		✓	3.0	100 x 140	2170	5	ivory

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; ES = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ¹²⁾ packed in polybags per sales unit

1. Boards

1.2 Conservation boards

012 ES – chamois/natural white



A hard and rigid board available in solid natural white or chamois/natural white in *ES*-quality, specially suitable for graphic collections. Top surface specially treated thus dirt-resistant, erasable and rub-proof (dry wiping). The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	ES	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit ⁴⁾	Colour
012421			0.3	100 x 140	280	50	natural white
0124221		✓	0.6	100 x 140	580	20	natural white
012422		✓	0.6	100 x 140	580	20	chamois/natural white
012426		✓	1.8	100 x 140	1780	10	chamois/natural white

1.2 Conservation boards

014 ES – chamois



A very hard and rigid chamois solid colour (dyed throughout) conservation board in *ES*-quality, specially suitable for graphic collections in frequent use. Top surface specially treated thus dirt-resistant, erasable and rub-proof (dry wiping). The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	ES	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit ⁴⁾	Colour
014161	✓		0.3	100 x 140	280	50	chamois
014162	✓	✓	0.6	100 x 140	580	25	chamois
014163	✓	✓	0.9	100 x 140	880	25	chamois
014164	✓	✓	1.2	100 x 140	1180	10	chamois
014166	✓	✓	1.8	100 x 140	1780	10	chamois

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; *ES* = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.2 Conservation boards

025 – offwhite/soft white




A compact, durable offwhite/soft white conservation board with a specially treated, dirt-resistant top surface that is erasable and rub-proof (dry wiping). It offers excellent diagonal cutting and creasing performance, making it ideal for conservation-quality framing and mounting. The board contains no optical brighteners and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit ¹²⁾	Colour
02518/4	✓	1.8	90 x 120	1230	10	offwhite/soft white
02518/2	✓	1.8	100 x 140	1230	10	offwhite/soft white

1.2 Conservation boards

048 – light grey



A compact, durable light grey solid colour (dyed throughout) conservation board with a specially treated, dirt-resistant top surface that is erasable and rub-proof (dry wiping). It offers excellent diagonal cutting and creasing performance, making it ideal for conservation-quality framing and mounting. The board contains no optical brighteners and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour
048075/7	✓	0.75	125 x 146	780	10	light grey
04815/7	✓	1.5	124 x 144	1590	7	light grey

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; **ES** = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.2 Conservation boards

050 – black



A compact and very hard, black solid-coloured board ideal for conservation-quality picture framing and mounting. The board has high abrasion resistance and is extremely light-fast (approx. 7 – 8 in accordance with the wool scale). The board is dyed evenly black (solid colour, dyed throughout) and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour
050050	✓	0.5	80 x 120	360	40	black solid colour
05015/4	✓	1.5	80 x 120	1130	20	black solid colour
05015/2		1.5	100 x 140	1130	10	black solid colour
05025/4	✓	2.5	80 x 120	1900	10	black solid colour
05030/4	✓	3.0	80 x 120	2200	10	black solid colour

1.3 Backing boards

07 – natural white/grey-blue and
grey-blue/white/grey-blue



An economically priced backing board in natural white/grey-blue and grey-blue/white/grey-blue, specially developed for conservation-quality picture framing and mounting. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour
0747270	✓	2.7	101 x 141	1810	5	natural white/grey-blue
074477270	✓	2.7	101 x 141	1810	5	grey-blue/white/grey-blue


FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.4 Archival boards

047 – grey.blue



A grey-blue, solid colour (dyed throughout) board with a specially treated top surface, dirt-resistant, erasable and rub-proof (dry wiping). Excellent grooving/creasing characteristics due to high long-fibre content. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916. **Cuttings:** Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Weight (gsm)	Size (cm)	Thickness (mm)	Grain	Shts./unit	Colour
04718513		185	100 x 140	0.21	long grain	50	grey-blue solid colour
04724011	✓	240	70 x 100	0.25	alternate grain	50	grey-blue solid colour
04724012	✓	240	90 x 120	0.25	long grain	25	grey-blue solid colour
04724013	✓	240	100 x 140	0,25	long grain	25	grey-blue solid colour
04731	✓	330	100 x 70	0.35	short grain	50	grey-blue solid colour
04732	✓	330	90 x 120	0.35	long grain	25	grey-blue solid colour
04733	✓	330	100 x 140	0.35	long grain	25	grey-blue solid colour
047450	✓	450	100 x 150	0.48	long grain	25	grey-blue solid colour

1.4 Archival boards

04799 – grey-blue/natural white (boxboard)



Archival board, grey-blue/natural white with a soft core, top surface specially treated, dirt-resistant, erasable and rub-proof. Excellent grooving and punching characteristics due to balanced transverse-longitudinal grain direction and high long-fibre content. Ideal as boxboard material for the manufacture of archival folders and boxes of high material thicknesses. The board is OBA-free and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916. **Cuttings:** Rough cuts of formats free of charge for orders > 1 sales unit, other sizes on request.

Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour
04799065/4	✓	0.7	104 x 147.3	550	20	grey-blue/natural white
04799065/5	✓	0.7	104 x 172	550	20	grey-blue/natural white
04799090/4	✓	0.9	104 x 147.3	670	15	grey-blue/natural white
04799110/4	✓	1.1	104 x 147.3	810	10	grey-blue/natural white
04799130/4	✓	1.3	104 x 147.3	955	10	grey-blue/natural white
04799150/4	✓	1.5	104 x 147.3	1070	10	grey-blue/natural white
04799170/4	✓	1.7	104 x 147.3	1190	10	grey-blue/natural white
04799190/4	✓	1.9	104 x 147.3	1310	7	grey-blue/natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; **ES** = lamination of multiple-ply board with an emission-free adhesive; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.4 Archival boards

048 - light grey

A light grey, solid colour (dyed throughout) board with a specially treated top surface, dirt-resistant, erasable and rub-proof (dry wiping). Excellent grooving/creasing characteristics due to high long-fibre content.

The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

1. Boards

1.4 Archival boards

049 – taupe



A taupe, solid colour (dyed throughout) archival board with a specially treated top surface, dirt-resistant, erasable and rub-proof (dry wiping). Excellent grooving characteristic due to high long-fibre content. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Weight (gsm)	Size (cm)	Thickness (mm)	Grain	Shts./unit	Colour
049/170SB	✓	170	80 x 120	0.2	long grain	125	taupe
049/170BB	✓	170	120 x 80	0.2	short grain	125	taupe

1.5 Photographic archival boards

89 – natural white, without an alkaline buffer



A natural white, solid colour (dyed throughout) photographic archival board without an alkaline buffer, and with a pH of 7.0. Suitable for conservation-quality picture framing and mounting, and for the presentation of photographs and other kinds of photographic material. The board is free of optical brightening agents and has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.


Item	FSC®	Thickness (mm)	Size (cm)	Weight (gsm)	Shts./unit	Colour
89054	✓	0.5	101 x 141	350	50	natural white
89101	✓	1.0	100 x 140	720	25	natural white
89151	✓	1.5	100 x 140	1100	10	natural white
89201	✓	2.0	100 x 140	1480	10	natural white
89251	✓	2.5	100 x 140	1900	5	natural white
89301	✓	3.0	100 x 140	2250	5	natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

1. Boards

1.6 Blotting boards

040 – natural white



A highly absorbent, acid-free and soft-textured fleece board with good wet-strength and a high cotton fibre content, suitable for preservation and archival storage purposes. The board is pH neutral, and is manufactured without an alkaline buffer (unbuffered) and without the use of optical brightening agents.

Please note: Cuttings are not possible.

Item	Thickness (mm)	Size ²⁾ (cm)	Weight (gsm)	Shts./unit	Colour
04001	1.0	70 x 100	350	50	natural white
04006	1.0	100 x 140	350	25	natural white
040591	1.8	70 x 100	670	20	natural white
04059	1.8	100 x 140	670	20	natural white

1. Boards

1.7 Mount configurator

Custom-made mounts

Based on our modular design concept you can configure your own individual mount. Our inventory allows for a variety of combination possibilities. You will find the configurator at klug-conservation.com > Products > Configuration > Mount configurator

The screenshot shows the 'Mount/mat configurator' web interface. At the top, the 'KLUG CONSERVATION' logo is visible, along with a navigation menu including Home, Preserving values, Q-Lab, Products, Applications, Knowledge, News, Company, Service, and Contact. A search icon is also present. Below the navigation bar, a breadcrumb trail reads: 'You are here: Home / Products / Configuration / Mount/mat configurator'. The main content area is titled 'Mount/mat configurator' and features a progress bar with six steps: 1. Dimensions (highlighted in red), 2. Execution, 3. Material, 4. Quantity/Title, 5. Overview, and 6. Inquiry. Below the progress bar, the text 'Enter the dimensions of the required mat in millimetres (mm)' is displayed. The central part of the interface contains a diagram of a rectangular mat with various input fields for dimensions and a 'Preview' button. Below the diagram, there are two buttons: 'quit configurator' and 'next >'. At the bottom of the page, there is a footer section with contact information for KLUG-CONSERVATION, including the address (Zollstrasse 2, 87509 Immenstadt, Germany), telephone and fax numbers, email address, and website. There are also links for 'Contact Newsletter', 'Imprint', 'Data Security', and 'Cookies', along with social media icons for YouTube and a QR code.




Mat configurator

2. Corrugated Boards

2.1 Corrugated boards

F 1.1 mm




Corrugated board made from ageing-resistant material, overall thickness 1.1 mm, natural white in colour. Top ply made from grey-blue archival board, 190 gsm, surface specially treated, dirt-resistant, erasable and rub-proof (dry wiping). Each individual ply is glued moisture-proof. The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
011647	✓	1.1	120 x 180	190	515	20	grey-blue/natural white

2.1 Corrugated boards

MW 1.6 mm




Corrugated board made from ageing-resistant material, overall thickness 1.6 mm, natural white in colour. Top ply made from archival board light grey. Each individual ply is glued moisture-proof. The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
021104	✓	1.6	100 x 172	190	560	25	light grey/natural white
021105	✓	1.6	110 x 172	190	560	25	light grey/natural white

2. Corrugated Boards

2.1 Corrugated boards

MW 1.65 mm




Corrugated board made from ageing-resistant material, overall thickness 1.65 mm, natural white in colour. Top ply made from grey-blue archival board, 190 gsm, surface specially treated, dirt-resistant, erasable and rub-proof (dry wiping). Each individual ply is glued moisture-proof. The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
02110447	✓	1.65	100 x 172	190	560	25	grey-blue/natural white
02110547	✓	1.65	110 x 172	190	560	25	grey-blue/natural white

2.1 Corrugated boards

MW 1.7 mm



Corrugated board made from ageing-resistant material, overall thickness 1.7 mm, natural white in colour. Top ply made from grey-blue archival board, 300 gsm, surface specially treated, dirt-resistant, erasable and rub-proof (dry wiping). Each individual ply is glued moisture-proof. The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.


Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
0211147	✓	1.7	100 x 172	300	680	20	grey-blue/natural white
0211247	✓	1.7	110 x 172	300	680	20	grey-blue/natural white
0211091	✓	1.7	245 x 180	300	680	10 ⁵⁾	grey-blue/natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

2. Corrugated Boards

2.1 Corrugated boards

MW 1.8 mm




Corrugated board made from ageing-resistant material, overall thickness 1.8 mm, natural white in colour. Top ply laminated with light grey archival board (048), 300 gsm, surface specially treated, dirt-resistant, erasable and rub-proof (dry wiping). The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
021148	✓	1.8	100 x 172	300	730	20	light grey/natural white

2.1 Corrugated boards

FW 3.0 mm



Corrugated board made from ageing-resistant material, overall thickness 3.0 mm, natural white in colour. Top ply made from archival board light grey. Each individual ply is glued moisture-proof (wet-strengthened). The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.


Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
031104	✓	3.0	100 x 172	190	570	20	light grey/natural white
031105	✓	3.0	110 x 172	190	570	20	light grey/natural white
031106	✓	3.0	215 x 165	190	570	15 ⁵⁾	light grey/natural white
031107	✓	3.0	180 x 245	190	570	10 ⁵⁾	light grey/natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

2. Corrugated Boards

2.1 Corrugated boards

FW 3.1 mm




Corrugated board made from ageing-resistant material, overall thickness 3.1 mm, natural white in colour. Top ply made from grey-blue coloured archival board, 300 gsm or laminated with light grey (048) archival paper, 130 gsm. Surface specially treated, dirt-resistant, erasable and rub-proof (dry wiping). Each individual ply is glued moisture-proof (wet-strengthened). The board is ageing-resistant in accordance with the EN ISO 9706 standard and meets the material requirements of the DIN ISO 16245 – Type A. Base material used for making KLUG boxes and folders.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
031147	✓	3.1	100 x 172 *	300	680	20	grey-blue/natural white
03147107	✓	3.1	180 x 245 *	300	680	5 ⁵⁾	grey-blue/natural white
031148	✓	3.1	100 x 172	130	740	20 ¹⁰⁾	light grey/natural white

2.1 Corrugated boards

EF 2.7 mm



Double corrugated board made of ageing-resistant material, natural white in colour. Flute thicknesses 1.6 and 1.1 mm, overall thickness 2.7 mm. The board possesses very good planarity (flatness), easy processing characteristics, is breathable and ageing-resistant in accordance with the EN ISO 9706 standard. Base material used for making KLUG boxes and folders and suitable as backing boards for conservation-quality picture framing.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
0211103	✓	2.7	90 x 120	190	900	10	natural white/natural white
0211102	✓	2.7	100 x 140	190	900	20	natural white/natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

2. Corrugated Boards

2.1 Corrugated boards

EF 2.7 mm – bended




Ageing-resistant, double corrugated board with curved design, particularly suitable as backing boards for conservation quality picture framing. Natural white in colour, flute thickness 1.6 and 1.1 mm, overall thickness 2.7 mm. The curved design presses objects against a flat surface – perfect for securely fixing originals in picture frames without stress or damage. Equally effective for stretcher frames to keep canvases perfectly stabilized. Easy to handle, breathable, and compliant with EN ISO 9706 standard for archival quality. Due to its curvature along the narrow side, delivery requires a specially designed curved pallet.

Item	FSC®	Thickness (mm)	Size ²⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit ¹²⁾	Colour
0211103GK	✓	2.7	90 x 120	190	900	10	natural white/natural white
0211102GK	✓	2.7	100 x 140	190	900	20	natural white/natural white

2.1 Corrugated boards

EF 3.0 mm



Double corrugated board made of ageing-resistant material, natural white in colour. Flute thicknesses 1.6 and 1.1 mm, overall thickness 3.0 mm. Top ply made from conservation board, natural white, weight 365 gsm. The board possesses very good planarity (flatness), easy processing characteristics, is breathable and ageing-resistant in accordance with the EN ISO 9706 standard. Ideal as backing boards for conservation-quality picture framing.


Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
0211117	✓	3.0	90 x 120	365	1100	10	natural white/offwhite
02111178	✓	3.0	100 x 140	365	1100	10	natural white/offwhite
02111170	✓	3.0	180 x 220	365	1100	3 ⁴⁾ ⁵⁾	natural white/offwhite

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

2. Corrugated Boards

2.1 Corrugated boards

EB 4.5 mm




Double wall corrugated board made from ageing-resistant material, natural white in colour. Flute thicknesses 3.0 and 1.5 mm, overall thickness 4.5 mm. Top ply printed light grey. The board possesses very good planarity (flatness), easy processing characteristics, is breathable and ageing-resistant in accordance with the EN ISO 9706 standard. Base material used for making KLUG boxes and folders and suitable as backing boards for conservation-quality picture framing.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
021-0315	✓	4.5	110 x 172	190	940	10	light grey/natural white

2.1 Corrugated boards

EB 5.0 mm



Double wall corrugated board made from ageing-resistant material, natural white in colour. Flute thicknesses 3.0 and 1.5 mm, overall thickness 5.0 mm. Top ply made from 365 gsm conservation board, natural white. The board possesses very good planarity (flatness), easy processing characteristics, is breathable and ageing-resistant in accordance with the EN ISO 9706 standard. Base material used for making KLUG boxes and folders and suitable as backing boards for conservation-quality picture framing.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
02131176	✓	5.0	180 x 120	365	1160	10	natural white/offwhite

2. Corrugated Boards

2.1 Corrugated boards

BC 6.4 mm




Double wall corrugated board made from ageing-resistant material, natural white in colour. Flute thicknesses 3.0 and 3.4 mm, overall thickness 6.4 mm. Top ply made from archival board light grey. Each individual ply is glued moisture-proof. The board is ageing-resistant in accordance with the EN ISO 9706 standard. Base material used for making KLUG boxes and folders and suitable as backing boards for conservation-quality picture framing.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
0314107		6.4	246 x 180	190	960	5 ⁵⁾	light grey/natural white

2.1 Corrugated boards

EBB 8.0 mm



Triple wall corrugated board made from ageing-resistant material, natural white in colour. Flutes thicknesses 3.0, 1.5 and 3.0 mm. Top ply made from conservation board, natural whiter, weight 365 gsm, overall board thickness 8.0 mm. Flutes in cross-wise direction (cross-laminated). The board possesses very good planarity (flatness), easy processing characteristics, is breathable and ageing-resistant in accordance with the EN ISO 9706 standard. Suitable as backing boards for conservation-quality picture framing.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight top ply (gsm)	Total weight (gsm)	Shts./unit	Colour
0213131176	✓	8.0	120 x 180	365	1735	5	natural white/offwhite

3. Honeycomb Panels

3.1 Honeycomb panels

071 – natural white



Honeycomb panels made of ageing-resistant material in accordance with the EN ISO 9706. Very suitable as backing boards to support large works of art such as graphics, placards, textiles, paintings and wallpapers. The panels are manufactured without using optical brightening agents and have passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight (gsm)	Shts./unit ⁵⁾	Colour
071125173	✓	13.0	125 x 173	1350	8	natural white
071173250	✓	13.0	173 x 250	1350	4	natural white

3.1 Honeycomb panels

079 – natural white, with wave structure



Honeycomb panels with wave structure, made of ageing-resistant material in accordance with the EN ISO 9706. Very suitable as backing boards to support large works of art such as graphics, placards, textiles, paintings and wallpapers. The panels are manufactured without using optical brightening agents and have passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Thickness (mm)	Size ¹⁾ (cm)	Weight (gsm)	Shts./unit ⁵⁾	Colour
0797126200	✓	7.0	126 x 200	1350	5	natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

4. Paper

4.1 Archival paper

047 – grey-blue / 048 – light grey



Ageing-resistant, solid coloured archival paper sheets – suitable for the usage as interleaving sheets in files and folders. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). The paper possesses excellent light-fastness.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Weight (gsm)	Size (cm)	Thickness (mm)	Grain	Shts./unit	Colour
047/130	✓	130	101 x 173	0.15	long grain	100	grey-blue solid colour
048/130	✓	130	101 x 173	0.15	long grain	100	light grey solid colour

4.1 Archival paper

047 – grey-blue archival paper on reels



Ageing-resistant, solid grey-blue archival paper rolled on reels – suitable for the usage as interleaving sheets in files and folders. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). The paper possesses excellent light-fastness.

Delivery: Packed in a box made of corrugated board, weight/reel approximately 24 kg.

Item	FSC®	Weight (gsm)	Thickness (mm)	Reel width ²⁾ (cm)	Running metres (m)	Reel/unit	Colour
04713	✓	130	0.15	120	150	1	grey-blue solid colour

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

4. Paper

4.2 Museum Paper

light white – with an alkaline buffer

Ageing-resistant, white coloured museum and photographic archival paper with an alkaline buffer, suitable as photocopy paper, for wrapping, for printing labels and as interleaving sheets in folders, spans, files and binders. The paper has passed the Photographic Activity Test (PAT) in accordance with the ISO 18916 standard.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

[illegible]


FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

4. Paper

4.2 Museum paper

coloured – with an alkaline buffer



Coloured, ageing-resistant museum paper with an alkaline reserve offering maximum permanency. Suitable as photocopy paper and as interleaving sheets in folders, spans, files and binders.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Please note: The illustrated surface colours and structures approximately match the actual products. For exact colour and surface structure please request for a sample.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

4. Paper

4.3 Photographic archival paper

natural white – without an alkaline buffer



Natural white coloured photographic archival paper without an alkaline buffer and with a pH of 7.0. The paper is acid-free, manufactured without optical brightening agents and is suitable for the archival storage of photographs, aquarell paintings, graphics and textiles. The paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Cuttings: Rough cuts of formats free of charge for orders > 1 sales unit (formats can be divided into halves, thirds, quarters, sixths, eighths or ninths), other sizes on request.

Item	FSC®	Weight (gsm)	Size (cm)	Thickness (mm)	Shts./unit	Colour
8102445	✓	45	121 x 91 ²⁾	0.05	250 ⁴⁾ ⁶⁾	natural white
81024090	✓	90	101 x 141	0.11	100	natural white
81024-1	✓	120	100 x 70	0.15	200	natural white
8104	✓	120	100 x 140	0.15	100	natural white
8104	✓	120	21.0 x 29.7 (A4)	0.15	500 ⁴⁾ ⁶⁾	natural white

4. Paper

4.4 Japanese paper

Japanese paper – sheets




Japanese paper sheets without an alkaline buffer, weight 9.0 gsm, machine glazed single-sided. Suitable as interleaving sheets for archiving, conservation and preservation purposes – for example to laminate objects, repair cracks and fissures and also to mount objects such as graphics and photographs etc. Manufactured from long-fibred cellulose (Abaca/Manila hemp, bleached/totally chlorine-free) and without the use of optical brightening agents.

Item	Weight (gsm)	Size ²⁾ (cm)	pH value	Shts./unit ⁴⁾ ⁶⁾	Colour
010096191	9.0	61 x 91	7.0	500	white

4.4 Japanese paper

Japanese paper – on reels



Japanese paper without an alkaline buffer, rolled on small reels, weight 9.0 gsm, width 2 or 3 cm, reel length 150 m. Suitable as interleaving sheets for archiving, conservation and preservation purposes – for example to laminate objects, to repair cracks and fissures and also to mount objects such as graphics and photographs etc. Manufactured from long-fibred cellulose (Abaca/Manila hemp, bleached/totally chlorine-free) and without the use of optical brightening agents.

Item	Weight (gsm)	Reel width ²⁾ (cm)	Running metres (m)	pH value	Reel/unit	Colour
010097	9.0	2	150	7.0	1	white
010098	9.0	3	150	7.0	1	white

4. Paper

4.5 Silk tissue paper

Silk tissue paper sheets – without alkaline buffer




Silk tissue paper without an alkaline buffer, machine glazed single-sided, pH 7.0, acid-free and manufactured without the usage of optical brightening agents. Suitable as wrapping paper for the archival storage of photographs, aquarelle paintings. The tissue paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Weight (gsm)	Size ²⁾ (cm)	pH value	Shts./unit ^{4) 6)}	Colour
0101-52	✓	17 – 18	75 x 50	7.0	1000	white
01014	✓	17 – 18	75 x 100	7.0	250	white
0101	✓	17 – 18	75 x 100	7.0	500	white

4.5 Silk tissue paper

Silk tissue paper on reels – without alkaline buffer



Silk tissue paper without an alkaline buffer, rolled on reels, machine glazed single-sided, pH 7.0, acid-free and manufactured without the usage of optical brightening agents. Suitable as wrapping paper for the archival storage of photographs, paintings, graphics and textiles and as padding material for delicate objects. The tissue paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Weight (gsm)	Reel width ²⁾ (cm)	Running metres (m)	pH value	Reel/unit	Colour
010182	✓	18	130	500	7.0	1	white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

4. Paper

4.5 Silk tissue paper

Silk tissue paper sheets – with an alkaline buffer



White coloured silk tissue paper, buffered with natural calcium carbonate (GCC), pH between 8.0 – 9.5, acid-free and manufactured without the usage of optical brightening agents. Suitable as wrapping paper for archival storage of photographs, aquarelle paintings, graphics and textiles. The tissue paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Weight (gsm)	Size ²⁾ (cm)	pH value	Shts./unit ^{4) 6)}	Colour
01034	✓	28	76 x 100	8.0 – 9.5	250	white
0103	✓	28	76 x 100	8.0 – 9.5	500	white

4.5 Silk tissue paper

Silk tissue paper on reels – with an alkaline buffer



White silk tissue paper rolled on reels, buffered with natural calcium carbonate (GCC), pH between 8.0 – 9.5, acid-free and manufactured without the usage of optical brightening agents. Suitable as wrapping paper for archiving photographs, aquarelle paintings, graphics, textiles and as padding material for delicate objects. The tissue paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Weight (gsm)	Reel width ²⁾ (cm)	Running metres (m)	pH value	Reel/unit	Colour
01031	✓	21	100	500	8.0 – 9.5	1	white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

4. Paper

4.6 Glassine paper

Glassine paper transparent – sheets




Transparent glassine paper without an alkaline buffer, pH between 6.9 – 7.2, acid-free, manufactured without the usage of optical brightening agents. Suitable for the archival storage of photographs and negatives. The glassine paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Weight (gsm)	Size ²⁾ (cm)	pH value	Shts./unit ⁴⁾ ⁶⁾	Colour
0102	✓	30	70 x 100	6.9 – 7.2	500	transparent
01024	✓	30	70 x 100	6.9 – 7.2	250	transparent

4.6 Glassine paper

Glassine paper transparent – on reels



Transparent glassine paper rolled on reels, without an alkaline buffer, pH between 6.9 – 7.2, acid-free, manufactured without the usage of optical brightening agents. Suitable for the archival storage of photographs and negatives. The glassine paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	Weight (gsm)	Reel width ²⁾ (cm)	Running metres (m)	pH value	Reel/unit	Colour
01022	✓	30	120	500	6.9 – 7.2	1	transparent
01025	✓	90	157	50	6.9 – 7.2	1	transparent

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

4. Paper

4.7 Blotting paper

Blotting paper natural white – sheets



Neutral, acid-free, ageing-resistant, soft absorbent blotting paper sheets manufactured without an alkaline buffer (unbuffered) and without optical brightening agents. The relatively rough yet soft surface makes the paper ideal for use as intermediate layers, in folders and preservation booklets. Originals placed on or between this paper, slide around less, which reduces mechanical strain on the originals – a characteristics that is much appreciated by conservators.

Item	Weight (gsm)	Thickness (mm)	Size (cm)	Grain	Shts./unit ⁴⁾	Colour
04007	120	0.25	102 x 95	short grain	100	natural white
04008	120	0.25	122 x 92	short grain	100	natural white

4.7 Blotting paper

Blotting paper natural white – on reels



Neutral, acid-free, ageing-resistant, soft absorbent reeled blotting paper manufactured without an alkaline buffer (unbuffered) and without optical brightening agents. The relatively rough yet soft surface makes the paper ideal for use as intermediate layers, in folders and preservation booklets. Originals placed on or between this paper, slide around less, which reduces mechanical strain on the originals – a characteristics that is much appreciated by conservators.

Item	Weight (gsm)	Thickness (mm)	Reel width (cm)	Running metres (m)	Reel/unit ²⁾	Colour
040010	120	0.25	124	150	1	natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit; ¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit; ⁷⁾ sold 250 pieces onwards; ⁸⁾ sold one sales unit onwards; ¹⁰⁾ delivered untrimmed; ¹²⁾ packed in polybags per sales unit

5. Boxes

5.1 Clamshell boxes

KS 3



A tightly closing clamshell box suitable for the storage of books, photographic material and all sorts of loose and unbound objects. Available with or without insertion slits and with an additional base reinforcement. Our most popular archival box and bestseller.

Item	FSC®	For size/format (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
2112003	✓	9 x 12, 9 x 13	143 x 118 x 60	151 x 132 x 65	MW 1.6	light grey
216511203	✓	9 x 12, 9 x 13	143 x 118 x 60	151 x 132 x 65	MW 1.65	grey-blue
2113003	✓		160 x 120 x 60	168 x 134 x 65	MW 1.6	light grey
216511303	✓		160 x 120 x 60	168 x 134 x 65	MW 1.65	grey-blue
2115103	✓	13 x 18	192 x 146 x 40	200 x 160 x 45	MW 1.6	light grey
216511603	✓	13 x 18	192 x 146 x 40	200 x 160 x 45	MW 1.65	grey-blue
2115203	✓	13 x 18	195 x 146 x 60	203 x 160 x 65	MW 1.6	light grey
216511803	✓	13 x 18	195 x 146 x 60	203 x 160 x 65	MW 1.65	grey-blue
2115003	✓	13 x 18	197 x 157 x 43	205 x 171 x 48	MW 1.6	light grey
216511403	✓	13 x 18	197 x 157 x 43	205 x 171 x 48	MW 1.65	grey-blue
2115303	✓		220 x 160 x 40	228 x 174 x 45	MW 1.6	light grey
216511903	✓		220 x 160 x 40	228 x 174 x 45	MW 1.65	grey-blue
2118303	✓		220 x 180 x 60	228 x 194 x 65	MW 1.6	light grey
216513203	✓		220 x 180 x 60	228 x 194 x 65	MW 1.65	grey-blue
2110103	✓		250 x 210 x 40	258 x 224 x 45	MW 1.6	light grey
216510203	✓		250 x 210 x 40	258 x 224 x 45	MW 1.65	grey-blue
2116003	✓	18 x 24	253 x 195 x 60	261 x 209 x 65	MW 1.6	light grey
216512003	✓	18 x 24	253 x 195 x 60	261 x 209 x 65	MW 1.65	grey-blue
2115101	✓		260 x 184 x 25	271 x 203 x 32	MW 1.6	light grey
216511503	✓		260 x 184 x 25	271 x 203 x 32	MW 1.65	grey-blue
2115201	✓	18 x 24	260 x 184 x 40	271 x 203 x 47	MW 1.6	light grey
216511703	✓	18 x 24	260 x 184 x 40	271 x 203 x 47	MW 1.65	grey-blue
2116103	✓		260 x 220 x 100	268 x 234 x 105	MW 1.6	light grey
216512103	✓		260 x 220 x 100	268 x 234 x 105	MW 1.65	grey-blue
2110216	✓		265 x 200 x 30	276 x 219 x 37	MW 1.6	light grey
216510503	✓		265 x 200 x 30	276 x 219 x 37	MW 1.65	grey-blue
216520803	✓		270 x 220 x 100	282 x 239 x 106	MW 1.65	grey-blue

5. Boxes

5.1 Clamshell boxes

KS 3

Item	FSC®	For size/format (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
214700330	✓		270 x 220 x 100	282 x 239 x 106	MW 1.7	grey-blue
2116203	✓	18 x 24	275 x 220 x 70	283 x 234 x 75	MW 1.6	light grey
216512203	✓	18 x 24	275 x 220 x 70	283 x 234 x 75	MW 1.65	grey-blue
2117003	✓	24 x 30	300 x 240 x 30	308 x 254 x 35	MW 1.6	light grey
216512303	✓	24 x 30	300 x 240 x 30	308 x 254 x 35	MW 1.65	grey-blue
2117603	✓	24 x 30	300 x 240 x 60	308 x 254 x 65	MW 1.6	light grey
216512803	✓	24 x 30	300 x 240 x 60	308 x 254 x 65	MW 1.65	grey-blue
2110303	✓	A4	302 x 215 x 75	310 x 229 x 80	MW 1.6	light grey
216510603	✓	A4	302 x 215 x 75	310 x 229 x 80	MW 1.65	grey-blue
216521703	✓	A4	307 x 217 x 100	319 x 236 x 106	MW 1.65	grey-blue
214701403	✓	A4	307 x 217 x 100	319 x 236 x 106	MW 1.7	grey-blue
216520703	✓		308 x 249 x 79	320 x 268 x 85	MW 1.65	grey-blue
21470033	✓		308 x 249 x 79	320 x 268 x 85	MW 1.7	grey-blue
2117103	✓	24 x 30	310 x 250 x 30	321 x 268 x 36	MW 1.6	light grey
216512403	✓	24 x 30	310 x 250 x 30	321 x 268 x 36	MW 1.65	grey-blue
216521803	✓	A4	312 x 222 x 100	324 x 241 x 106	MW 1.65	grey-blue
214701503	✓	A4	312 x 222 x 100	324 x 241 x 106	MW 1.7	grey-blue
2117203	✓	24 x 30	313 x 260 x 60	328 x 274 x 65	MW 1.6	light grey
216512503	✓	24 x 30	313 x 260 x 60	328 x 274 x 65	MW 1.65	grey-blue
216520303	✓		315 x 290 x 55	326 x 308 x 61	MW 1.65	grey-blue
2117303	✓		315 x 290 x 55	326 x 308 x 61	MW 1.7	grey-blue
2121003	✓	A4	320 x 232 x 60	328 x 246 x 65	MW 1.6	light grey
216513303	✓	A4	320 x 232 x 60	328 x 246 x 65	MW 1.65	grey-blue
2480403	✓	A4	320 x 232 x 60	332 x 252 x 67	MW 1.7	grey-blue
216524903	✓		320 x 232 x 90	332 x 252 x 96	MW 1.65	grey-blue
24801503	✓		320 x 232 x 90	332 x 252 x 96	MW 1.7	grey-blue
2117403	✓	24 x 30	320 x 240 x 90	328 x 254 x 95	MW 1.6	light grey

5. Boxes

5.1 Clamshell boxes

KS 3

Item	FSC®	For size/format (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
216512603	✓	24 x 30	320 x 240 x 90	328 x 254 x 95	MW 1.65	grey-blue
21105031	✓		320 x 250 x 75	328 x 264 x 80	MW 1.6	light grey
216510803	✓		320 x 250 x 75	328 x 264 x 80	MW 1.65	grey-blue
2117503	✓		331 x 255 x 45	340 x 270 x 50	MW 1.6	light grey
216512703	✓		331 x 255 x 45	340 x 270 x 50	MW 1.65	grey-blue
216523203	✓		335 x 245 x 135	347 x 264 x 142	MW 1.65	grey-blue
2147133	✓		335 x 245 x 135	347 x 264 x 142	MW 1.7	grey-blue
216525003	✓		335 x 320 x 55	343 x 334 x 60	MW 1.65	grey-blue
2480603	✓		335 x 320 x 55	343 x 334 x 60	MW 1.7	grey-blue
3117603	✓		337 x 265 x 80	352 x 291 x 89	FW 3.0	light grey
2117703	✓		340 x 227 x 75	351 x 245 x 81	MW 1.6	light grey
216512903	✓		340 x 227 x 75	351 x 245 x 81	MW 1.65	grey-blue
2110703	✓		345 x 255 x 65	353 x 269 x 70	MW 1.6	light grey
216510903	✓		345 x 255 x 65	353 x 269 x 70	MW 1.65	grey-blue
216520503	✓		350 x 220 x 80	362 x 240 x 87	MW 1.65	light grey
2117903	✓		350 x 220 x 80	362 x 240 x 87	MW 1.7	grey-blue
3110803	✓	folio	350 x 235 x 60	367 x 262 x 69	FW 3.0	light grey
3122003	✓	folio	350 x 250 x 100	365 x 276 x 109	FW 3.0	light grey
2122103	✓	folio	350 x 270 x 70	358 x 284 x 75	MW 1.6	light grey
216513403	✓	folio	350 x 270 x 70	358 x 284 x 75	MW 1.65	grey-blue
3480903	✓	folio	355 x 255 x 50	373 x 285 x 60	FW 3.1	grey-blue
3122203	✓	folio	355 x 255 x 100	374 x 285 x 110	FW 3.1	grey-blue
216524603	✓		358 x 261 x 63	370 x 280 x 70	MW 1.65	grey-blue
2147803	✓		358 x 261 x 63	370 x 280 x 70	MW 1.7	grey-blue
2111003	✓		360 x 250 x 35	368 x 264 x 40	MW 1.6	light grey
216511003	✓		360 x 250 x 35	368 x 264 x 40	MW 1.65	grey-blue
216521203	✓		360 x 260 x 170	372 x 279 x 177	MW 1.65	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.1 Clamshell boxes

KS 3

Item	FSC®	For size/format (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
216520403	✓		360 x 270 x 70	372 x 289 x 76	MW 1.65	grey-blue
2117803	✓		360 x 270 x 70	372 x 289 x 76	MW 1.7	grey-blue
216521103	✓		360 x 270 x 90	372 x 289 x 96	MW 1.65	grey-blue
214700333	✓		360 x 270 x 90	372 x 289 x 96	MW 1.7	grey-blue
216520903	✓		360 x 270 x 100	371 x 288 x 106	MW 1.65	grey-blue
214700331	✓		360 x 270 x 100	371 x 288 x 106	MW 1.7	grey-blue
3122303	✓		365 x 244 x 92	382 x 273 x 101	FW 3.0	light grey
216523103	✓		365 x 270 x 60	377 x 289 x 67	MW 1.65	grey-blue
2147063	✓		365 x 270 x 60	377 x 289 x 67	MW 1.7	grey-blue
216524703	✓		380 x 260 x 113	392 x 279 x 120	MW 1.65	grey-blue
2147903	✓		380 x 260 x 113	392 x 279 x 120	MW 1.7	grey-blue
2123003	✓	large folio	382 x 266 x 94	390 x 280 x 99	MW 1.6	light grey
216513503	✓	large folio	382 x 266 x 94	390 x 280 x 99	MW 1.65	grey-blue
3123103	✓		393 x 291 x 69	410 x 320 x 79	FW 3.0	light grey
216520603	✓		398 x 267 x 162	406 x 281 x 167	MW 1.65	grey-blue
2123203	✓		398 x 267 x 162	406 x 281 x 167	MW 1.7	grey-blue
3118003	✓	30 x 40	414 x 313 x 60	429 x 339 x 69	FW 3.0	light grey
2118103	✓	30 x 40	415 x 310 x 50	423 x 324 x 55	MW 1.6	light grey
216513003	✓	30 x 40	415 x 310 x 50	423 x 324 x 55	MW 1.65	grey-blue
2118203	✓	30 x 40	425 x 302 x 60	433 x 316 x 65	MW 1.6	light grey
216513103	✓	30 x 40	425 x 302 x 60	433 x 316 x 65	MW 1.65	grey-blue
216522103	✓	A3	427 x 312 x 60	439 x 331 x 66	MW 1.65	grey-blue
214701603	✓	A3	427 x 312 x 60	439 x 331 x 66	MW 1.7	grey-blue
216522203	✓	A3	427 x 322 x 60	439 x 341 x 66	MW 1.65	grey-blue
214701803	✓	A3	427 x 322 x 60	439 x 341 x 66	MW 1.7	grey-blue
3118303	✓	A3	440 x 330 x 70	455 x 356 x 79	FW 3.0	light grey
2111203	✓	A3	440 x 340 x 35	448 x 354 x 40	MW 1.6	light grey

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.1 Clamshell boxes

KS 3

[illegible]

FSC® [Forest Stewardship Council] = Items with virgin cellulose fibre from sustainable forest cultivation and trade
MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.1 Clamshell boxes

KS 3 – with textile fastening ribbons



A KS 3 tightly closing clamshell box with textile polyester fastening ribbons. The ribbons can be attached individually. The box is made from corrugated board material, MW 1.7, 680 gsm, exterior box colour grey-blue/interior colour natural white. Ideal for the archival storage of books, files/folders, documents and two-dimensional objects.

Other box sizes on request.

[illegible]

5. Boxes

5.1 Clamshell boxes

KS 3 – with filing mechanism



A reasonably priced, tightly closing clamshell box with binding mechanism. Suitable for filing 4-hole, pre-punched envelope enclosures, documents and photographic board in sheet form. Delivery assembled and upright.

Item	FSC®	For format	Int. dimensions H x W x T (mm)	Ext. dimensions ^{5) 9)} H x W x T (mm)	Material (mm)	Colour (exterior)
65289947	✓	A4	315 x 290 x 55	326 x 308 x 61	MW 1.7	grey-blue
652899	✓	A4	315 x 290 x 55	326 x 308 x 61	MW 1.8	light grey
652900	✓	A4	335 x 320 x 55	343 x 334 x 60	MW 1.8	light grey
65290047	✓	A4	335 x 320 x 55	343 x 334 x 60	MW 1.7	grey-blue
652900475		A4	335 x 320 x 55	347 x 339 x 66	MW 1.7	grey-blue
652900473		A3	430 x 380 x 60	442 x 399 x 66	MW 1.7	grey-blue
6529004753		A3	430 x 380 x 60	442 x 399 x 71	MW 1.7	grey-blue

5.1 Clamshell boxes

KS 4



A tightly closing and finely constructed clamshell box especially designed for books and unbound loose objects. A complete foldable construction, with completely smooth interior and exterior surfaces. Produced from board materials with weights ranging from approximately 330 to 900 gsm.

Item	Design	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
upon request					

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.1 Clamshell boxes

KS 17



A tightly closing, dustproof clamshell box for books, photographs, loose and unbound objects. Closed, the box has a four-fold wall construction on three sides providing additional strength, spine single-fold. Also available with an additional base support insert.

[illegible]

FSC® [Forest Stewardship Council] = Items with virgin cellulose fibre from sustainable forest cultivation and trade
MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.1 Clamshell boxes

KS 17 Trier



A tightly closing clamshell box ideal for extremely heavy and valuable objects as well as for graphic collections. Smooth interior and exterior surfaces. Closed, the box has a six-fold wall construction on three sides, spine single-fold, extra support inserts for base and lid. Available with or without textile ribbons. Already umpteen times in use for incunabulum and graphic collections. Delivery assembled and upright.

Item	For size (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions ^{5) 9)} H x W x T (mm)	Material (mm)	Colour (exterior)
on request					

5.1 Clamshell boxes

KS 17 – heavy-duty



A sturdy and tightly closing clamshell box for books, photograph negatives/positives, glass plates and loosely bound objects. Closed, the box has four-fold wall construction on three sides. Design without slits, includes a base support and spine flaps providing additional strength. Economical in price. Delivery assembled and upright.

Item	FSC [®]	For size (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions ^{5) 9)} H x W x T (mm)	Material (mm)	Colour (exterior)
216523717	✓	13 x 18	184 x 134 x 60	203 x 154 x 70	MW 1.65	grey-blue
21474017	✓	13 x 18	184 x 134 x 60	203 x 154 x 70	MW 1.7	grey-blue
216523817	✓	13 x 18	205 x 150 x 60	224 x 170 x 70	MW 1.65	grey-blue
2147417	✓	13 x 18	205 x 150 x 60	224 x 170 x 70	MW 1.7	grey-blue
216523917	✓	18 x 24	244 x 184 x 60	263 x 170 x 70	MW 1.65	grey-blue
21475017	✓	18 x 24	244 x 184 x 60	263 x 170 x 70	MW 1.7	grey-blue
216524017	✓	18 x 24	255 x 195 x 50	274 x 215 x 60	MW 1.65	grey-blue

FSC[®] (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.1 Clamshell boxes

KS 17 – heavy-duty

Item	FSC®	For size (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions ^{5) 9)} H x W x T (mm)	Material (mm)	Colour (exterior)
2147517	✓	18 x 24	255 x 195 x 50	274 x 215 x 60	MW 1.7	grey-blue
216523517	✓	18 x 24	255 x 195 x 60	274 x 215 x 70	MW 1.65	grey-blue
21471917	✓	18 x 24	255 x 195 x 60	274 x 215 x 70	MW 1.7	grey-blue
216524117	✓	24 x 30	304 x 244 x 60	323 x 264 x 70	MW 1.65	grey-blue
21476117	✓	24 x 30	304 x 244 x 60	323 x 264 x 70	MW 1.7	grey-blue
216524217	✓	24 x 30	315 x 255 x 40	334 x 274 x 50	MW 1.65	grey-blue
2147617	✓	24 x 30	315 x 255 x 40	334 x 274 x 50	MW 1.7	grey-blue
216523317	✓	24 x 30	315 x 255 x 60	334 x 274 x 70	MW 1.65	grey-blue
21471717	✓	24 x 30	315 x 255 x 60	334 x 274 x 70	MW 1.7	grey-blue
216522417	✓	27 x 33	355 x 280 x 130	374 x 299 x 140	MW 1.65	grey-blue
21470217	✓	27 x 33	355 x 280 x 130	374 x 299 x 140	MW 1.7	grey-blue
216524517	✓	30 x 40	403 x 304 x 50	423 x 324 x 60	MW 1.65	grey-blue
21477417	✓	30 x 40	403 x 304 x 50	423 x 324 x 60	MW 1.7	grey-blue
216524417	✓	30 x 40	415 x 315 x 30	434 x 334 x 40	MW 1.65	grey-blue
2147717	✓	30 x 40	415 x 315 x 30	434 x 334 x 40	MW 1.7	grey-blue
216523417	✓	30 x 40	415 x 315 x 60	434 x 334 x 70	MW 1.65	grey-blue
21471817	✓	30 x 40	415 x 315 x 60	434 x 334 x 70	MW 1.7	grey-blue
21047417	✓	40 x 50	504 x 404 x 30	523 x 424 x 40	MW 1.7	grey-blue
2147021775	✓	40 x 50	515 x 415 x 30	534 x 435 x 40	MW 1.7	grey-blue
21047177	✓		560 x 405 x 55	579 x 425 x 65	MW 1.7	grey-blue
21476717	✓	50 x 60	604 x 504 x 30	623 x 524 x 40	MW 1.7	grey-blue
2147021776	✓	50 x 60	615 x 515 x 30	634 x 535 x 40	MW 1.7	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.1 Clamshell boxes

KS 17 Albertina



A tightly closing clamshell box with extra supports - ideal for graphic collections. Smooth interior and exterior surfaces. When closed, the box has a double-walled spine and even eightfold wall-thickness on three sides ensuring highest stability. Additional supports in bottom and lid for extra strength. Even though absolutely dustproof, the box is still breathable.

Delivery assembled and upright, ready for use.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.1 Clamshell boxes

KS18 Premium



A tightly closing, premium clamshell box; a more elaborate version of the known „Solander Box“. Manufactured whilst using the finest book binding methods, this classical drop-back clamshell box is produced from solid conservation board with a complete fabric lining. Special emphasis has been given to ageing resistant and environmentally compatible (less-polluting) materials. Delivery assembled and upright.

Item	For format	Int. dimensions (max.) ^{5) 9)} H x W x T (mm)	Height (max.) (mm)	Material (mm)
1920003	portrait	260 x 210 x 100	max. 260	conservation board, 2.0
1920004	portrait	350 x 260 x 100	max. 350	conservation board, 2.0
1920005	portrait	450 x 330 x 90	max. 450	conservation board, 2.0
1920007	portrait	500 x 350 x 90	max. 500	conservation board, 2.0
1920009	portrait	600 x 430 x 80	max. 600	conservation board, 2.0
1920012	portrait	700 x 500 x 80	max. 700	conservation board, 2.0
1920013	portrait	800 x 600 x 80	max. 800	conservation board, 2.0

5.2 Wraparound boxes

KS 1



A simple and reasonably priced folder type, wraparound box for storing books, archival material and other objects. Often used for exhibition transports.

Item	FSC®	For size/format (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
2119001	✓	20 x 25	250 x 200 x 40	254 x 204 x 46	MW 1.6	light grey
216510301	✓	20 x 25	250 x 200 x 40	254 x 204 x 46	MW 1.65	grey-blue
2114901	✓	A4	302 x 215 x 40	306 x 219 x 46	MW 1.6	light grey
216510201	✓	A4	302 x 215 x 40	306 x 219 x 46	MW 1.65	grey-blue
2121001	✓	A4	307 x 228 x 14	311 x 232 x 20	MW 1.6	light grey
216510501	✓	A4	307 x 228 x 14	311 x 232 x 20	MW 1.65	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.2 Wraparound boxes

KS 2



A tightly closing folder type, wraparound box especially suitable for heavy books. The interior surfaces of the box are smooth and additional stability is achieved with a double-walled construction.

Item	For size (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
on request					

5.2 Wraparound boxes

KS 11



A folder type, wraparound box very similar to the design of the KS 1 box, yet with an attached base insert. Suitable for books and other kinds of archival objects. The narrow closing flap does not touch the object being archived.

Item	FSC®	For size/format (cm)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
3121011	✓	A4/folio	350 x 235 x 63	359 x 244 x 80	FW 3.0	light grey
2110111	✓		360 x 250 x 10	363 x 257 x 21	MW 1.6	light grey
216510111	✓		360 x 250 x 10	363 x 257 x 21	MW 1.65	grey-blue

5. Boxes

5.3 Archival boxes

KS 7 – two-piece, with slide-in base tray



An archival box made of two pieces, the corpus includes a slide-in base tray (can be pulled out) with a drop-front attached flap. Ideal for the storage of expansion folders, unbound and loose-leaf collections and newspapers. For storage purposes the boxes can be stacked horizontally, one upon each other.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.3 Archival boxes

KS 7 – one-piece, w. drop-front attached flap



A one-piece archival box with a drop-front, attached flap. Ideal for the storage of expansion folders, unbound and loose-leaf collections and newspapers. For storage purposes the boxes can be stacked horizontally, one upon each other.

Item	FSC®	Design	Int. dimensions D x W x H (mm)	Ext. dimensions D x W x H (mm)	Material (mm)	Colour (exterior)
3123307	✓	with attached flap	390 x 270 x 230	399 x 293 x 247	FW 3.0	light grey

5.3 Archival boxes

KS 10



A one-piece archival box with an attached lid, ideal for the storage of pictures, index cards, postcards etc. The base box has double-walled construction on three sides. The drop-front opening on the front side opens approximately 45%.

Item	FSC®	For size/format (cm)	Int. dimensions D x W x H/H* (mm)	Ext. dimensions D x W x H (mm)	Material (mm)	Colour (exterior)
21008010	✓	9 x 6	300 x 90 x 70/35	316 x 113 x 76	MW 1.6	light grey
21658010	✓	9 x 6	300 x 90 x 70/35	316 x 113 x 76	MW 1.65	grey-blue
214799910	✓	15 x 10	300 x 160 x 120/30	317 x 185 x 127	MW 1.7	grey-blue
21659210	✓	15 x 10	300 x 160 x 120/30	316 x 183 x 126	MW 1.65	grey-blue
21658210	✓	24 x 18	300 x 250 x 190/75	316 x 273 x 196	MW 1.65	grey-blue
21478210	✓	24 x 18	300 x 250 x 190/75	317 x 275 x 197	MW 1.7	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.3 Archival boxes

KS 13



A clamshell type storage box with roundabout, double-walled construction for additional strength. Smooth interior surfaces. On request also available with box partitions (dividers). Suitable for the storage of microfiches, postcards and film negatives.

Item	FSC®	For size (cm)	Int. dimensions D x W x H (mm)	Ext. dimensions D x W x H (mm)	Material (mm)	Colour (exterior)
2113013	✓	11.5 x 11	110 x 115 x 35	117 x 125 x 40	MW 1.6	light grey
216511113	✓	11.5 x 11	110 x 115 x 35	117 x 125 x 40	MW 1.65	grey-blue
2115013	✓	18 x 24	180 x 240 x 35	193 x 255 x 41	MW 1.6	light grey
216511313	✓	18 x 24	180 x 240 x 35	193 x 255 x 41	MW 1.65	grey-blue
2110213	✓	4 compartments (for up to 500 microfiches)	326 x 318 x 110	336 x 332 x 115	MW 1.6	light grey
216510513	✓	4 compartments (for up to 500 microfiches)	326 x 318 x 110	336 x 332 x 115	MW 1.65	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.3 Archival boxes

KS 14



An archival box for the upright storage of expansion folders, glass plates, collections with loose and unbound objects, brochures and magazines. Smooth interior surfaces.

Item	FSC®	For size (cm)/format	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
651214	✓	9 x 13, for 4-flap enclosures	95 x 135 x 105	101 x 145 x 111	MW 1.6	light grey
216512814	✓	9 x 13, for 4-flap enclosures	95 x 135 x 105	101 x 145 x 111	MW 1.65	grey-blue
651114	✓	9 x 12, for 4-flap enclosures	98 x 128 x 105	104 x 138 x 111	MW 1.6	light grey
216512714	✓	9 x 12, for 4-flap enclosures	98 x 128 x 105	104 x 138 x 111	MW 1.65	grey-blue
651314	✓	10 x 15, for 4-flap enclosures	105 x 155 x 105	111 x 165 x 111	MW 1.6	light grey
216513014	✓	10 x 15, for 4-flap enclosures	105 x 155 x 105	111 x 165 x 111	MW 1.65	grey-blue
6512141	✓	9 x 13, for envelope enclosures	115 x 138 x 105	121 x 148 x 111	MW 1.6	light grey
216512914	✓	9 x 13, for envelope enclosures	115 x 138 x 105	121 x 148 x 111	MW 1.65	grey-blue
6513141	✓	10 x 15, for envelope enclosures	125 x 158 x 105	131 x 168 x 111	MW 1.6	light grey
216513114	✓	10 x 15, for envelope enclosures	125 x 158 x 105	131 x 168 x 111	MW 1.65	grey-blue
651514	✓	13 x 18, for 4-flap enclosures	135 x 185 x 105	141 x 195 x 111	MW 1.6	light grey
216513214	✓	13 x 18, for 4-flap enclosures	135 x 185 x 105	141 x 195 x 111	MW 1.65	grey-blue
6515141	✓	13 x 18, for envelope enclosures	155 x 193 x 105	161 x 203 x 111	MW 1.6	light grey
216513314	✓	13 x 18, for envelope enclosures	155 x 193 x 105	161 x 203 x 111	MW 1.65	grey-blue
651614	✓	18 x 24, for 4-flap enclosures	185 x 260 x 105	191 x 270 x 111	MW 1.6	light grey
216513414	✓	18 x 24, for 4-flap enclosures	185 x 260 x 105	191 x 270 x 111	MW 1.65	grey-blue
6516141	✓	18 x 24, for envelope enclosures	202 x 253 x 105	208 x 263 x 111	MW 1.6	light grey
216513514	✓	18 x 24, for envelope enclosures	202 x 253 x 105	208 x 263 x 111	MW 1.65	grey-blue
216520614	✓		223 x 290 x 80	236 x 305 x 87	MW 1.65	grey-blue
2147080014	✓		223 x 290 x 80	236 x 305 x 87	MW 1.7	grey-blue
216520714	✓		223 x 290 x 100	236 x 305 x 107	MW 1.65	grey-blue
2147081014	✓		223 x 290 x 100	236 x 305 x 107	MW 1.7	grey-blue
216520814	✓		223 x 290 x 120	236 x 305 x 127	MW 1.65	grey-blue
2147082014	✓		223 x 290 x 120	236 x 305 x 127	MW 1.7	grey-blue
3121014	✓	A4, folio	240 x 360 x 105	251 x 377 x 114	FW 3.0	light grey
651714	✓	24 x 30, for 4-flap enclosures	245 x 305 x 105	251 x 315 x 111	MW 1.6	light grey
216513614	✓	24 x 30, for 4-flap enclosures	245 x 305 x 105	251 x 315 x 111	MW 1.65	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.3 Archival boxes

KS 14

Item	FSC®	For size (cm)/format	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
216520914	✓		250 x 320 x 50	263 x 335 x 57	MW 1.65	grey-blue
2147083014	✓		250 x 320 x 50	263 x 335 x 57	MW 1.7	grey-blue
216521014	✓		250 x 335 x 60	263 x 350 x 67	MW 1.65	grey-blue
2147084014	✓		250 x 335 x 60	263 x 350 x 67	MW 1.7	grey-blue
216521214	✓	A4	250 x 335 x 80	263 x 350 x 87	MW 1.65	grey-blue
214709114	✓	A4	250 x 335 x 80	263 x 350 x 87	MW 1.7	grey-blue
216521314	✓	A4	250 x 335 x 100	263 x 350 x 107	MW 1.65	grey-blue
214709214	✓	A4	250 x 335 x 100	263 x 350 x 107	MW 1.7	grey-blue
216521414	✓	A4	250 x 335 x 120	263 x 350 x 127	MW 1.65	grey-blue
214709314	✓	A4	250 x 335 x 120	263 x 350 x 127	MW 1.7	grey-blue
216521114	✓		250 x 335 x 140	263 x 350 x 147	MW 1.65	grey-blue
2147085014	✓		250 x 335 x 140	263 x 350 x 147	MW 1.7	grey-blue
6517141	✓	24 x 30, for envelope enclosures	267 x 313 x 105	273 x 323 x 111	MW 1.6	light grey
216513714	✓	24 x 30, for envelope enclosures	267 x 313 x 105	273 x 323 x 111	MW 1.65	grey-blue
216521514	✓		275 x 352 x 109	288 x 367 x 116	MW 1.65	grey-blue
2147099814	✓		275 x 352 x 109	288 x 367 x 116	MW 1.7	grey-blue
216520114	✓	30 x 40, for 4-flap enclosures	300 x 400 x 90	307 x 412 x 97	MW 1.65	grey-blue
2118014	✓	30 x 40, for 4-flap enclosures	300 x 400 x 90	307 x 412 x 97	MW 1.7	grey-blue
216520214	✓	30 x 40, for 4-flap enclosures	300 x 400 x 140	307 x 412 x 147	MW 1.65	grey-blue
2118114	✓	30 x 40, for 4-flap enclosures	300 x 400 x 140	307 x 412 x 147	MW 1.7	grey-blue
3117014	✓		302 x 370 x 162	313 x 387 x 173	FW 3.0	light grey
651814	✓	30 x 40, for envelope enclosures	325 x 413 x 105	337 x 427 x 111	MW 1.6	light grey
216513814	✓	30 x 40, for envelope enclosures	325 x 413 x 105	337 x 427 x 111	MW 1.65	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.3 Archival boxes

KS 14 – for vinyl/shellac records



An archival box for the upright storage of vinyl/shellac records. Suitable for most 33, 45 and 78 rpm records.

Item	FSC®	Design	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
216521714	✓	vinyl 33	330 x 330 x 152	341 x 345 x 165	MW 1.65	grey-blue
21472014	✓	vinyl 33	330 x 330 x 152	341 x 345 x 165	MW 1.7	grey-blue
216521614	✓	vinyl 45	190 x 197 x 229	201 x 213 x 242	MW 1.65	grey-blue
21471914	✓	vinyl 45	190 x 197 x 229	201 x 213 x 242	MW 1.7	grey-blue
216520514	✓	vinyl/shellack 78	280 x 280 x 100	291 x 296 x 113	MW 1.65	grey-blue
21470144	✓	vinyl/shellack 78	280 x 280 x 100	291 x 296 x 113	MW 1.7	grey-blue

5.3 Archival boxes

KS 14 Norway



An archival box for the upright storage of expansion folders, glass plates, collections with loose and unbound objects, magazines and brochures. Smooth interior surfaces. The one-piece archival box includes a base support providing additional strength and a pull-strap on the smaller side. The box opening is on the left and the attached lid closes with a snap-in mechanism.

Item	FSC®	For format	Int. dimensions H/H* x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
21655814	✓	A4	250/70* x 320 x 82	263 x 335 x 91	MW 1.65	grey-blue
21475814	✓	A4	250/70* x 320 x 82	263 x 335 x 91	MW 1.7	grey-blue
21655914	✓	folio	250/70* x 375 x 82	263 x 390 x 91	MW 1.65	grey-blue
21475914	✓	folio	250/70* x 375 x 82	263 x 390 x 91	MW 1.7	grey-blue

5. Boxes

5.3 Archival boxes

KS 15 – with compartments




Two-piece archival box, comprising a drop-front corpus and an inner pull-out box, for the vertical storage of postcards, prints and glass plates. The fixed dividers between the compartments keep the objects upright, even if the inner box is not completely filled. Stackable. The corpus acts as a placeholder on the shelf.

Item	FSC®	For size (cm)	Number of compartments	Compartment size D x W x H (mm)	Box dims. (ext.) D x W x H (mm)	Material (mm)	Colour (exterior)
2193515	✓	4.5 x 6.5	2	67 x 67 x 50	168 x 96 x 60	MW 1.6	light grey
216514115	✓	4.5 x 6.5	2	67 x 67 x 50	168 x 96 x 60	MW 1.65	grey-blue
2193315	✓	6 x 9	2	70 x 90 x 70	167 x 118 x 81	MW 1.6	light grey
216515215	✓	6 x 9	2	70 x 90 x 70	167 x 118 x 81	MW 1.65	grey-blue
2112015	✓	9 x 12, 9 x 13	4	75 x 142 x 150	336 x 172 x 162	MW 1.6	light grey
216510915	✓	9 x 12, 9 x 13	4	75 x 142 x 150	336 x 172 x 162	MW 1.65	grey-blue
2195115	✓	10 x 15	2	98 x 153 x 108	227 x 180 x 120	MW 1.6	light grey
216516315	✓	10 x 15	2	98 x 153 x 108	227 x 180 x 120	MW 1.65	grey-blue
216520315	✓	10 x 15	3	75 x 170 x 150	260 x 200 x 160	MW 1.65	grey-blue
2118115	✓	10 x 15	3	75 x 170 x 150	260 x 200 x 160	MW 1.7	grey-blue
2115015	✓	10 x 15, 13 x 18	4	75 x 195 x 150	336 x 225 x 162	MW 1.6	light grey
216511415	✓	10 x 15, 13 x 18	4	75 x 195 x 150	336 x 225 x 162	MW 1.65	grey-blue
21102015	✓	10 x 21	2	92 x 215 x 117	300 x 243 x 129	MW 1.6	light grey
216510315	✓	10 x 21	2	92 x 215 x 117	300 x 243 x 129	MW 1.65	grey-blue
216512015	✓	13 x 12	4	75 x 142 x 138	336 x 172 x 147	MW 1.65	grey-blue
2198115	✓	13 x 18, 12 x 16	2	108 x 183 x 140	248 x 210 x 150	MW 1.6	light grey
216517415	✓	13 x 18, 12 x 16	2	108 x 183 x 140	248 x 210 x 150	MW 1.65	grey-blue
216520415	✓	13 x 18	3	73 x 200 x 180	255 x 230 x 190	MW 1.65	grey-blue
2118215	✓	13 x 18	3	73 x 200 x 180	255 x 230 x 190	MW 1.7	grey-blue
2118015	✓	13 x 18	4	73 x 187 x 153	337 x 217 x 165	MW 1.6	light grey
216511915	✓	13 x 18	4	73 x 187 x 153	337 x 217 x 165	MW 1.65	grey-blue
2147615	✓	18 x 24	4	76 x 252 x 210	335 x 285 x 225	MW 1.7	grey-blue
3115015	✓	18 x 24	4	73 x 255 x 195	342 x 291 x 210	FW 3.0	light grey

5. Boxes

5.3 Archival boxes

KS 15 – with slotted inlay



Two-piece archival box, comprising a drop-front corpus and an pull-out inlay box, for the vertical and gentle storage of up to ten glass plates. The slotted inlay prevents pressure caused by plate-to-plate contact. Stackable. The corpus acts as a placeholder on the shelf.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.3 Archival boxes

KS 19 – for horizontal storage



An archival box made of two parts, the corpus includes a slide-in base tray (can be pulled out) with an attached drop-front flap. Ideal for the storage of expansion folders, unbound and loose-leaf collections and for newspapers. For storage purposes the boxes can be stacked horizontally, one upon each other. Also available as a single box piece with an attached drop-front flap.

[illegible]

FSC® [Forest Stewardship Council] = Items with virgin cellulose fibre from sustainable forest cultivation and trade
MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.4 Archival boxes for roll storage

KS 16 – Two-piece box



KS 16 boxes suitable for large-size and delicate archival objects (e.g. geographical/architectural maps, textiles etc.), with a separate lid, made of corrugated conservation board, hermetically sealed for horizontal or vertical storage of rolled documents. When closed, the walls are triple-layered. Supplied flat packed. Optional: delivered assembled by us. Any format on request, even by the unit. Please contact us for further info.

Item	FSC®	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
214755116	✓	800 x 150 x 150/150	819 x 171 x 157	MW 1.7	grey-blue
214755316	✓	1100 x 150 x 150/150	1119 x 171 x 157	MW 1.7	grey-blue
214755816	✓	1300 x 150 x 150/150	1319 x 171 x 157 ⁵⁾	MW 1.7	grey-blue
314799616	✓	1500 x 200 x 200/200	1533 x 236 x 212 ⁵⁾	FW 3.1	grey-blue

5.4 Archival boxes for roll storage

KS 16 – Two-piece box



Roll storage boxes suitable for large-size and delicate archival objects. (e.g. geographical/architectural maps, textiles etc.) The tube in the box is made from spirally wound conservation board and is supported by two layers of corrugated board. In this way absolutely no pressure is exposed on the stored object. Two textile ribbons enhance easy manoeuvrability of the tube. Delivery assembled and upright.

Item	FSC®	Tube length (cm)	Tube Ø (mm)	Int. dimensions L x W x H/H* (mm)	Ext. dimensions ^{5) 9)} L x B x H (mm)	Material (mm)	Colour (exterior)
214755216	✓	720	120	800 x 150 x 150/150	819 x 171 x 157	MW 1.7	grey-blue
214755416	✓	1020	120	1100 x 150 x 150/150	1119 x 171 x 157	MW 1.7	grey-blue
214755916	✓	1220	120	1300 x 150 x 150/150	1319 x 171 x 157	MW 1.7	grey-blue
314799616-5	✓	1420	150	1500 x 200 x 200/200	1533 x 236 x 212	FW 3.1	grey-blue


FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.4 Archival boxes for roll storage

Archival box with front flap – glued version



An archival box with a front flap (glued version) especially developed for the roll storage of archival objects such as geographical maps, architectural plans, drawings, charts, posters etc.

Delivery flat.


[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; W = width; T = thickness; D = depth; L = length
⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.4 Archival boxes for roll storage

Archival box with front flap – plug-in version



An archival box (plug-in version) with a front opening flap, especially designed for the roll storage of archival objects such as geographical maps, architectural plans, drawings, charts, posters etc.

A simple plug-in construction, delivery flat.

[illegible]

FSC® [Forest Stewardship Council] = Items with virgin cellulose fibre from sustainable forest cultivation and trade
MW = corrugated board E-flute; FW = corrugated board; B-flute; H = height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.5 Slipcases, shelf files

KS 5 Slipcase



A classical slipcase designed for books. Book spine visible. Available with or without semi-circle cuts. Delivered either as a foldable construction with self-locking tabs (plug-in) or a pre-assembled construction, glued together. The former is shipped flat and the latter assembled and upright.

Item	FSC®	Design	Int. dimensions H x W x T (mm)	Ext. dimensions ^{5) 9)} H x W x T (mm)	Material (mm)	Colour (exterior)
2110205	✓	glued, with semi-circle cuts	300 x 209 x 73	305 x 214 x 81	MW 1.6	light grey
216510205	✓	glued, with semi-circle cuts	300 x 209 x 73	305 x 214 x 81	MW 1.65	grey-blue
216520105	✓	glued, with semi-circle cuts	316 x 226 x 85	321 x 231 x 93	MW 1.65	grey-blue
2480305	✓	glued, with semi-circle cuts	316 x 226 x 85	321 x 231 x 93	MW 1.7	grey-blue

5.5 Slipcases, shelf files

KS 5 Slipcase – with folder



KS 5 slipcase (glued) with a folder with 4-hole ring binding filing mechanism for format A4. Made from age-resistant corrugated board for the vertical storage of punched documents. The distance between the perforations is 80 mm. Delivery assembled.

Item	FSC®	Design	Ext. dimensions ^{5) 9)} H x W x T (mm)	Material (mm)	Colour (exterior)
6605247		folder	350 x 300 x 60	MW 1.7	grey-blue/natural white
		slipcase	360 x 304 x 68	MW 1.7	grey-blue/natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.5 Slipcases, shelf files

KS 6 Slipcase – with shelf file



A tightly closing slipcase with shelf file, designed for storing and organizing books, brochures, magazines, newspapers and loose-leaf collections (unbound documents). It can be put on a shelf just as a placeholder to ensure that objects are shelved tightly. Also available with an additional (standing) support for loose-leaf collections. For books it can also be used as a book support.

Item	Design	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
on request					

5.5 Slipcases, shelf files

KS 9 Shelf file – glued version



Shelf file, glued version, designed for storing books, newspapers, brochures, magazines and collections of loose and unbound documents. Also available with an additional (standing) support mechanism to ensure that the filed objects are kept upright, thus preventing them from bending over if the folder is not full to capacity. For books it can also be used as a book support.

Item	FSC®	Design (glued)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
216520309	✓	with finger hole	307 x 220 x 80	316 x 226 x 85	MW 1.65	grey-blue
2480109	✓	with finger hole	307 x 220 x 80	316 x 226 x 85	MW 1.7	grey-blue

5. Boxes

5.5 Slipcases, shelf files

KS 9 Shelf file – plug-in version



Shelf file, plug-in version, designed for storing books, newspapers, brochures, magazines and collections of loose and unbound documents.

Also available with an additional (standing) support mechanism to ensure that the filed objects are kept upright, thus preventing them from bending over if the folder is not full to capacity. For books it can also be used as a book support (holder).

[illegible]

5. Boxes

5.5 Slipcases, shelf files

KS 23 Slipcase



A classical slipcase particularly suitable for storing and organizing books, with a plug-in design, available with or without semi-circular grip cutouts. While stored, the spine of the object is visible. A very sturdy, inexpensive construction, the upper and lower surfaces are made of firmly fitted, double-strength material. Easy to assemble, delivery flat. This is a custom-made product. Please contact our sales department directly.

Item	FSC®	Design	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
on request						

5.5 Slipcases, shelf files

KS 27 Slipcase – with shelf file



A tightly closing shelf file with included slipcase designed for books, magazines and loose-leaf collections. The slipcase can also be used on a shelf as a placeholder. The slipcase is a KS 23 design and the shelf file a KS 9. The slipcase has semi-circle cuts and the shelf file is without a finger hole. Both have smooth interior surfaces.

Item	FSC®	Design (box types)	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material (mm)	Colour (exterior)
210034227	✓	KS 9 + KS 23	205 x 150 x 90	222 x 161 x 109	MW 1.6	light grey
216535227	✓	KS 9 + KS 23	205 x 150 x 90	222 x 161 x 109	MW 1.65	grey-blue
216536127	✓	KS 9 + KS 23	315 x 240 x 100	332 x 251 x 119	MW 1.65	grey-blue
214737127	✓	KS 9 + KS 23	315 x 240 x 100	332 x 251 x 119	MW 1.7	grey-blue

5. Boxes

5.6 Two-piece boxes

KS 8



A reasonably priced, two-piece storage box comprising a base and a lid. While closed the box is double-walled all around. Simple folding construction with self-locking tabs. Ideal for the storage of textiles, paintings, archival objects and collection items.

Item	FSC®	For size (cm)	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
652008	✓	microfiches	330 x 160 x 120/120	347 x 469 x 84	MW 1.6	light grey
216512108	✓	microfiches	330 x 160 x 120/120	347 x 469 x 84	MW 1.65	grey-blue
2115308	✓	13 x 18	338 x 200 x 160/80	348 x 215 x 164	MW 1.6	light grey
216511508	✓	13 x 18	338 x 200 x 160/80	348 x 215 x 164	MW 1.65	grey-blue
2115108	✓	18 x 24	240 x 180 x 80/80	249 x 193 x 84	MW 1.6	light grey
216511408	✓	18 x 24	240 x 180 x 80/80	249 x 193 x 84	MW 1.65	grey-blue
3116008	✓	20 x 30	312 x 200 x 160/160	329 x 214 x 168	FW 3.0	light grey
2116108	✓	24 x 30	338 x 260 x 210/105	348 x 275 x 215	MW 1.6	light grey
216511608	✓	24 x 30	338 x 260 x 210/105	348 x 275 x 215	MW 1.65	grey-blue
2117008	✓	24 x 30	338 x 320 x 275/134	348 x 335 x 279	MW 1.6	light grey
216511708	✓	24 x 30	338 x 320 x 257/134	348 x 335 x 279	MW 1.65	grey-blue
2117108	✓		340 x 256 x 105/105	349 x 269 x 109	MW 1.6	light grey
216511808	✓		340 x 256 x 105/105	349 x 269 x 109	MW 1.65	grey-blue
2117208	✓		340 x 265 x 80/80	357 x 289 x 88	MW 1.6	light grey
216511908	✓		340 x 265 x 80/80	357 x 289 x 88	MW 1.65	grey-blue
3117308	✓		373 x 261 x 142/142	390 x 285 x 150	FW 3.0	light grey
3117508	✓		390 x 280 x 110/110	407 x 304 x 118	FW 3.0	light grey
3117608	✓		400 x 300 x 120/80	417 x 324 x 128	FW 3.0	light grey
3117708	✓		540 x 383 x 104/104	559 x 409 x 112	FW 3.0	light grey
3117808	✓		570 x 445 x 76/76	587 x 469 x 84	FW 3.0	light grey

5. Boxes

5.6 Two-piece boxes

KS 12



A two-piece storage box comprising a base and a lid, double-walled on four sides. While closed the box is four-walled all around and thus extremely sturdy. The folding construction ensures smooth interior surfaces. Upon request also available with a drop-front opening.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 12 – with front window



This tightly closing two-piece box made from ageing-resistant corrugated board – perfect for the storage of three-dimensional objects. The box lid is attached to the base and the front has an integrated transparent, polyester window cutout permitting quick content visibility without having to open the box. Delivery assembled and upright, ready for use.

Item	FSC®	Int. dimensions L x W x H/H* (mm)	Ext. dimensions ^{5) 9)} L x W x H (mm)	Material (mm)	Colour (exterior)
2147001012	✓	155 x 225 x 175/40	170 x 240 x 180	MW 1.7	grey-blue

5.6 Two-piece boxes

KS 12 – with compartments for postcards



A two-piece box made from ageing-resistant corrugated board suitable for the vertical storage of postcards. The base box has an attached textile pull-strap on the shorter side and includes three removable insert partitions (158 x 128 mm). While closed the box is four-walled all-around and thus very sturdy. Both base and lid are reinforced. The lid is made from archival board 04799. Delivery assembled und upright, ready for use.

Item	FSC®	For size (cm)	Number of comp.	Compartment size L x W x H/H* (mm)	Ext. dimensions ^{5) 9)} L x W x H (mm)	Material (mm)	Colour (exterior)
21476212	✓	9 x 14 10.5 x 15	3	87 x 160 x 130/40	300 x 179 x 138	MW 1.7	grey-blue

5. Boxes

5.6 Two-piece boxes

KS 12 – with compartments for photographs



Two-piece box made from ageing-resistant corrugated board, suitable for the vertical storage of photographs. The base box has an attached textile pull-strap. While closed the box is four-walled all-around and thus very sturdy. Both base and lid are reinforced.

Delivery assembled und upright,
ready for use.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 12 – with compartments for audio cassettes



Two-piece box made from ageing-resistant corrugated board suitable for the vertical storage of audio cassettes. The box comprises of two compartments for the storage for 26 audio cassettes. While closed the box is four-walled all-around and thus very sturdy. Both base and lid are reinforced. Delivery flat, unassembled.

Item	FSC®	Number of cassettes	Number of comp.	Compartment size L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material	Colour (exterior)
21471912	✓	26	2	300 x 111 x 77/30	331 x 260 x 77	MW 1.7	grey-blue

5. Boxes

5.6 Two-piece boxes

KS 16 – Corrugated board



A two-piece storage box, comprising of a base and a lid which are both double-walled on two sides. While closed the box is triple-walled all around and thus very sturdy. The folding construction ensures smooth interior surfaces.

Our most popular two-piece storage box, umpteen times in use. Ideal for the storage of large-sized objects, e.g. textiles, musical instruments, paintings, art objects etc..

On request the base unit can be provided with a drop-front opening.

Item	FSC®	For size (cm) design	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
2110116	✓		135 x 135 x 127/63	152 x 152 x 133	MW 1.6	light grey
216510116	✓		135 x 135 x 127/63	152 x 152 x 133	MW 1.65	grey-blue
2480116	✓	without slits	151 x 151 x 75/75	172 x 174 x 87	MW 1.8	light grey
2111216	✓		270 x 106 x 105/50	288 x 123 x 111	MW 1.6	light grey
216510916	✓		270 x 106 x 105/50	288 x 123 x 111	MW 1.65	grey-blue
2112016	✓	4 dividers (dimens. 27.3 x 9)	273 x 150 x 95/40	294 x 172 x 102	MW 1.6	light grey
216511316	✓	4 dividers (dimens. 27.3 x 9)	273 x 150 x 95/40	294 x 172 x 102	MW 1.65	grey-blue
2110416	✓		298 x 225 x 170/60	317 x 246 x 177	MW 1.8	light grey
2111116	✓		332 x 252 x 104/104	350 x 270 x 110	MW 1.6	light grey
216510816	✓		332 x 252 x 104/104	350 x 270 x 110	MW 1.65	grey-blue
2111316	✓		333 x 245 x 95/95	350 x 260 x 100	MW 1.6	light grey
216511016	✓		333 x 245 x 95/95	350 x 260 x 100	MW 1.65	grey-blue
2110516	✓		340 x 265 x 100/100	355 x 280 x 106	MW 1.6	light grey
216510316	✓		340 x 265 x 100/100	355 x 280 x 106	MW 1.65	grey-blue
2111416	✓		358 x 25 x 96/96	391 x 293 x 102	FW 3.0	light grey
2110616	✓		362 x 252 x 104/104	380 x 270 x 110	MW 1.6	light grey
216510416	✓		362 x 252 x 104/104	380 x 270 x 110	MW 1.65	grey-blue
3110716	✓		363 x 237 x 80/80	395 x 270 x 90	FW 3.0	light grey
2110816	✓		375 x 265 x 95/95	390 x 280 x 100	MW 1.6	light grey
216510516	✓		375 x 265 x 95/95	390 x 280 x 100	MW 1.65	grey-blue
2111516	✓		375 x 265 x 145/145	390 x 280 x 150	MW 1.6	light grey
216511116	✓		375 x 265 x 145/145	390 x 280 x 150	MW 1.65	grey-blue
2111616	✓		375 x 265 x 194/100	396 x 287 x 201	MW 1.6	light grey
216511216	✓		375 x 265 x 194/100	396 x 287 x 201	MW 1.65	grey-blue
2110016	✓	A4, folio (Brauweiler box)	382 x 261 x 103/103	400 x 282 x 110	MW 1.6	light grey
2110916	✓		382 x 272 x 104/104	400 x 290 x 110	MW 1.6	light grey
216510616	✓		382 x 272 x 104/104	400 x 290 x 110	MW 1.65	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 16 – Corrugated board

Item	FSC®	Design	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
216520216	✓	longer side with drop-front	428 x 268 x 125/50	449 x 286 x 131	MW 1.65	grey-blue
2110316	✓	longer side with drop-front	428 x 268 x 125/50	449 x 286 x 131	MW 1.7	grey-blue
3111016	✓		505 x 372 x 85/85	530 x 400 x 90	FW 3.0	light grey

5.6 Two-piece boxes

KS 16 – Boxboard



A two-piece storage box made from boxboard, comprising a base and lid, both with double-wall thickness on two sides. While closed the box is triple-walled all around and thus very sturdy. The folding construction ensures smooth interior surfaces. On request the base unit can be provided with a drop-front opening.

Item	FSC®	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
479981316	✓	370 x 264 x 105/105	385 x 280 x 110	archival board 04799, 1.3 mm	grey-blue/natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 16 – with compartments for photographs



Two-piece box made from ageing-resistant corrugated board, consisting of a base and lid designed for the vertical or horizontal archiving of photographic objects. The box comprises multiple compartments and both base and lid are reinforced. The base box is additionally equipped with a textile pull-strap (loop). Delivered upright and assembled, ready for use.


[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; ** = Item 2147914 box lid made of archival board 04799 - 0,7mm comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 16 – with compartments for negatives



Two-piece box made from ageing-resistant corrugated board, specifically designed for the vertical storage of negative strips. The box features a reinforced base and lid, five compartments and a textile pull-tab on the base box. This special designed box includes five dividers (275 x 73 mm) and a pull-tab on the 300 mm longer side with single-wall thickness. Delivery pre-assembled and upright, for immediate use.

Item	FSC®	Number of comp.	Compartment dimensions L x W x H/H* (mm)	Ext. dimensions ^{5) 9)} L x W x H (mm)	Material (mm)	Colour (exterior)
214718614	✓	5	55 x 278 x 75/40	309 x 300 x 85	MW 1.7	grey-blue

5.6 Two-piece boxes

KS 16 – with compartments for slides and glass plates



Two-piece box made from ageing-resistant corrugated board, specifically designed for the vertical storage of slides and glass plates. The box features a reinforced base and lid, five compartments and a textile pull-tab on the base box. The box includes ten loose dividers (53 x 70 mm), as well as a pull tab on the 309 mm longer side with double-wall thickness. Delivery pre-assembled and upright, for immediate use.

Item	FSC®	Number of comp.	Compartment dimensions L x W x H/H* (mm)	Ext. dimensions ^{5) 9)} L x W x H (mm)	Material (mm)	Colour (exterior)
214718914	✓	5	55 x 278 x 75/40	309 x 300 x 85	MW 1.7	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 16 – with polyester window



A tightly closing two-piece box made from ageing-resistant corrugated board for the horizontal storage of three-dimensional objects.

The integrated transparent, polyester window cutout in the lid allows quick content visibility without the need to open the box. Polyester thickness 175 µm (microns). Delivery flat, unassembled.

Item	FSC®	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
2147001016	✓	155 x 125 x 55/55	176 x 148 x 62	MW 1.7	grey-blue
2147002016	✓	255 x 155 x 55/55	276 x 178 x 62	MW 1.7	grey-blue
2147003016	✓	310 x 155 x 55/55	331 x 178 x 62	MW 1.7	grey-blue
2147004016	✓	310 x 250 x 55/55	331 x 273 x 62	MW 1.7	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade

comp. = compartment; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length

5. Boxes

5.6 Two-piece boxes

KS 16 – with pull-strap and partition inserts



A two-piece box suitable for archiving postcards, index cards and microfiches. Made from either corrugated board MW 1.65 or MW 1.7 mm, double-walled on two sides, very sturdy, smooth interior surfaces. A textile pull-strap is attached on the smaller side of the base of the box. Delivered with three loose, partition insert segments (dividers).

[illegible]

5. Boxes

5.6 Two-piece boxes

KS 16 – for video cassettes



A tightly closing two-piece box made from ageing-resistant corrugated board for the vertical archival storage of maximum ten video cassettes. Delivery flat, unassembled.

Item	FSC®	Number of cassettes	Int. dimensions L x W x H/H* (mm)	Ext. dimensions L x W x H (mm)	Material (mm)	Colour (exterior)
214724816	✓	10	300 x 195 x 130/50	322 x 218 x 137	MW 1.7	grey-blue

5.6 Two-piece boxes

KS 16 – for CDs/DVDs



This two-piece box made from ageing-resistant corrugated board has the lid attached to the base box. The box base is reinforced and has an integrated pull-strap (loop), ideal for the vertical storage of CDs and DVDs. Delivery assembled and upright, ready for use.

Item	FSC®	Int. dimensions L x W x H (mm)	Ext. dimensions ^{5) 9)} L x W x H (mm)	Material (mm)	Colour (exterior)
214724916	✓	275 x 130 x 150	287 x 153 x 160	MW 1.7	grey-blue

5. Boxes

5.6 Two-piece boxes

KS 16 – for textiles



A two-piece storage box designed for large-sized textiles, comprising a base and lid which are both double-walled on two sides. While closed the box is triple-walled all around and thus very sturdy. The folding construction ensures smooth interior surfaces.

Delivery assembled and upright, ready for use.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; MWV = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.6 Two-piece boxes

KS 16 – for hats



Two-piece box made from ageing-resistant corrugated board, consisting of a base and lid, each with double wall thickness on both sides. Additional reinforcement is provided by a glued insert base. When closed, the box has triple wall thickness and a smooth interior surface due to the folding construction, making it very sturdy. The box base features pull-out side walls for easier removal of the hat. Delivery upright and assembled, ready for use.

Item	FSC®	Int. dimensions H x W x T (mm)	Ext. dimensions ^{5) 9)} H x W x T (mm)	Usable tube height (mm)	Material (mm)	Colour (exterior)
214799917	✓	250 x 250 x 250/80	271 x 274 x 262	240	MW 1.7	grey-blue
214799916	✓	350 x 350 x 330/100	371 x 374 x 342	320	MW 1.7	grey-blue
2147999151	✓	450 x 450 x 200/80	471 x 474 x 212	190	MW 1.7	grey-blue
214799915	✓	450 x 450 x 250/80	471 x 474 x 262	240	MW 1.7	grey-blue

The tray is made of 2 x EB 5.0 mm (white sides visible). It includes a textile loop and has an integrated upright tube (made of conservation board) to fix the hat in the middle of the box. The tube is anchored to the tray with a plug-in connector and can be removed if necessary.

5.6 Two-piece boxes

KS 16 – for shoes



A two-piece box made from ageing-resistant corrugated board specially designed for the archival storage of shoes. The box has a reinforced base and lid, a drop-front opening, a slide-in tray and a pull-strap for easy handling. Delivery assembled and upright, ready for use.

Item	FSC®	Int. dimensions L x W x H/H* (mm)	Ext. dimensions ^{5) 9)} L x W x H (mm)	Material (mm)	Colour (exterior)
214790016	✓	344 x 275 x 185/70	365 x 298 x 192	MW 1.7	grey-blue
214791016	✓	344 x 275 x 385/70	365 x 298 x 392	MW 1.7	grey-blue
214792016	✓	344 x 575 x 185/70	365 x 595 x 192	MW 1.7	grey-blue

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; MW = corrugated board E-flute; FW = corrugated board B-flute; H = height; H* 2nd H dimension is the lid height; W = width; T = thickness; D = depth; L = length; ⁵⁾ extra cost for freight and packaging; ⁹⁾ delivery assembled and upright

5. Boxes

5.7 Foldes boxes

– for film reel storage



Folded box for the archival storage of 16 mm- or 35 mm-film on reel. Made of photographic archival board natural white, 0.5 mm, without alkaline buffer. We also offer the matching KS 3 clamshell box, available in light grey or grey-blue, for storing 24 folded boxes with 16 mm-film or 14 folded boxes with 35 mm-film.

Item	FSC®	Design	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material, thickness (mm)	Colour (exterior)
642589		16 mm-film	100 x 100 x 25	102 x 102 x 26	photographic archival board, 0.5	natural white
642689	✓	35 mm-film	100 x 100 x 45	102 x 102 x 46	photographic archival board, 0.5	natural white
652789	✓	clamshell box for film reels	330 x 207 x 104	345 x 221 x 109	MW 1.6	light grey
216513603	✓	clamshell box for film reels	330 x 207 x 104	345 x 221 x 109	MW 1.65	grey-blue

5. Boxes

5.8 Box configurator

Custom-made boxes

Based on our modular design concept you can configure your individual box. Our inventory allows for a variety of combination possibilities. You will find the configurator at klug-conservation.com > Products > Configuration > Box configurator

The screenshot shows the KLUG CONSERVATION website's box configurator. The browser address bar shows klug-conservation.com. The website has a navigation menu with links: Home, Preserving values, Q-Lab, Products, Applications, Knowledge, News, Company, Service, and Contact. A search icon is also present. Below the navigation, a breadcrumb trail reads: You are here: Home / Products / Configuration / Box configurator.

The main content area is titled "Box configurator" and features a progress bar with six steps: 1. Box type (selected), 2. Material, 3. Dimensions, 4. Qty./Title, 5. Overview, and 6. Inquiry. Under the "Box type" step, the instruction "Choose the required box categorie" is displayed. There are six options, each with a radio button and a 3D illustration of the box type:

- ☐ Wraparound boxes
- ☐ Clamshell boxes
- ☐ Slipcase, shelf file
- ☐ Archival boxes
- ☐ Two-piece boxes
- ☐ Folders

At the bottom of the configuration area, there are two buttons: "quit configurator" and "next >".

The footer contains contact information for KLUG-CONSERVATION, including the address (Zollstrasse 2, 87509 Immenstadt, Germany), telephone and fax numbers (+49 (0)8323 9653 30), email (info@klug-conservation.com), and website (www.klug-conservation.com). It also includes links for Contact, Newsletter, Imprint, Data Security, and Cookies, along with icons for a double-headed arrow and YouTube.




Box configurator

6. Tubes

6.1 Tubes

– made from conservation board



Tubes made from spiral-wound, natural white, ageing-resistant conservation board. Board plies are glued with a quality tested lamination glue, pH neutral and free of softening agents. Cutting to customer size on request, tubes available in various diameter sizes and can be cut to a max. length of 10 m. Tube joining segments are also available to extend the lengths of 150/200 mm diameter tubes to a max. of 4200 mm.

Item	FSC®	Wall thickness (mm)	Tube diameter (Ø mm)	Length ¹⁾ (mm)	Tube/unit ⁵⁾	Colour
01911101		2.0	100	2100	1 tube	natural white
01911121		2.0	120	2100	1 tube	natural white
01911151	✓	2.0	150	2100	1 tube	natural white
01911190		5.0	190	500	1 joining segment	natural white
01911201		2.5	200	2100	1 tube	natural white
01911301	✓	3.0	300	2500	1 tube	natural white

6.2 Tube caps

– made from corrugated board



Ageing-resistant corrugated board caps, suitable for our tubes made from conservation board. The caps are two laminated circular cut-outs. The outer circle has a slightly larger radius than the inner circle. These caps can be used for long-term archiving or for transportation purposes.

Item	FSC®	For tubes with int. diameter (Ø mm)	Material	Caps/unit	Colour
01920100	✓	100	corrugated board EB 5.0	1 tube cap	natural white/offwhite
01920120	✓	120	corrugated board EB 5.0	1 tube cap	natural white/offwhite
01920150	✓	150	corrugated board EB 5.0	1 tube cap	natural white/offwhite
01920200	✓	200	corrugated board EB 5.0	1 tube cap	natural white/offwhite
01920300	✓	300	corrugated board EB 5.0	1 tube cap	natural white/offwhite

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

6. Tubes

6.2 Tube caps

– made from PE plastic



Plastic press-on caps for our tubes made from conservation board. PE caps are used as transport caps. Each ordered tube comes with two of these PE caps. Additional caps are available on request.

Item	For tube with interior diameter Ø (mm)	Material	Caps/unit	Colour
01922100	100	PE plastic	1 tube cap	white
01922120	120	PE plastic	1 tube cap	white
01922150	150	PE plastic	1 tube cap	white
01922200	200	PE plastic	1 tube cap	white
01922300	300	PE plastic	1 tube cap	white

7. Cardboard pages/Folders

7.1 Cardboard pages

– with 2-hole or 4-hole perforation



Cardboard pages with 2-hole or 4-hole perforation (according to ISO standard). Suitable as covers/dividers for A4-files or for mounting purposes. Made from archival board 048 light grey, either 240 or 330 gsm, surface-refined, dirt-resistant, erasable and rub-proof (resistant to dry wiping). Customized cardboard pages on request (after technical clarification).


Item	FSC®	Design	Size H x W (mm)	Material, weight (gsm), colour	Pages/unit ⁶⁾
048100		2-hole perforation	310 x 218	archival board 048, 240 gsm – light grey	50
048101-3	✓	2-hole perforation	310 x 218	archival board 048, 330 gsm – light grey	50
04810175	✓	4-hole perforation	310 x 240	archival board 048, 330 gsm – light grey	50
04810182		4-hole perforation	325 x 270	archival board 048, 330 gsm – light grey	50
04810127		2-hole perforation	350 x 230	archival board 048, 240 gsm – light grey	50
04810156	✓	2-hole perforation	350 x 230	archival board 048, 330 gsm – light grey	50

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; unit = sales unit; H = height; W = width; T = thickness; D = depth; L = length

⁶⁾ sold only per complete unit

7. Cardboard pages/Folders

7.2 Folders without flaps



Folders without flaps made from archival board with a centred groove or museum paper with a centred fold, suitable for storing all types of documents, manuscripts, drawings, posters etc. A very reasonable and inexpensive archiving system.

Upon request we also deliver A4 size with pre-punched holes for ring-binding or with attached textile ribbons.

Item	FSC®	For size (cm)	Closed dimensions H x W (mm)	Open dimensions H x W (mm)	Delivery	Material, weight (gsm), colour
04860133	✓	18 x 24	250 x 182/182	250 x 364	folded (closed)	museum paper, 120, light white
0489990	✓	A4	305 x 215/215	305 x 430	folded (closed)	museum paper, 90, light white
04860131	✓	A4	310 x 220/220	310 x 440	folded (closed)	museum paper, 120, light white
04860134		24 x 30	310 x 247/247	310 x 494	folded (closed)	museum paper, 120, light white
0486491704	✓	A4	310 x 220/220	310 x 440	folded (closed)	archival board 049, 170, taupe
04865	✓	A4	318 x 230/230	318 x 460	unfolded (open)	archival board, 240, light grey
048651	✓	A4	318 x 230/230	318 x 460	unfolded (open)	archival board, 330, light grey
048601316	✓	folio	345 x 230/230	345 x 460	folded (closed)	museum paper, 120, light white
04864		folio	345 x 230/230	345 x 460	unfolded (open)	archival board, 240, light grey
048641	✓	folio	345 x 230/230	345 x 460	unfolded (open)	archival board, 330, light grey
04866	✓	large folio	395 x 250/250	395 x 500	unfolded (open)	archival board, 240, light grey
048661	✓	large folio	395 x 250/250	395 x 500	unfolded (open)	archival board, 330, light grey
04863120		A3	425 x 310/310	425 x 620	folded (closed)	museum paper, 120, light white
04863	✓	A3	425 x 320/320	425 x 640	unfolded (open)	archival board, 240, light grey
048631	✓	A3	425 x 320/320	425 x 640	unfolded (open)	archival board, 330, light grey
04864220	✓	A2	600 x 425/425	600 x 850	folded (closed)	museum paper, 120, light white
0486001	✓	A2	600 x 440/440	600 x 880	unfolded (open)	archival board, 240, light grey
0486011	✓	A2	600 x 440/440	600 x 880	unfolded (open)	archival board, 330, light grey
04865320	✓	A1	845 x 600/600	845 x 1200	folded (closed)	museum paper, 120, light white
048731	✓	A1	850 x 605/605	850 x 1210	unfolded (open)	archival board, 240, light grey
048733	✓	A1	850 x 605/605	850 x 1210	unfolded (open)	archival board, 330, light grey
4866420	✓	A0	1200 x 850/850	1200 x 1700	folded (closed)	museum paper, 120, light white
048752	✓	A0	1200 x 850/850	1200 x 1700	folded (closed)	archival board, 400, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (standard assortment ex-stock)



Folders with flaps, also called expansion or "Juris folders", are made from a single sheet, with multiple grooves on the flaps. Customer imprints possible. The folders can be delivered with loose or pre-stuck base reinforcements. This prevents the originals being archived against external damages that can get caused due to bending. This minimal enhancement increases the value-for-money aspect to a great degree.

A large range of standard sizes available ex-stock.

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
<i>Juris folder for size A5</i>				
04820501	✓	A5	220 x 170 x 30	archival board, 240, light grey
0482	✓	A5, DIN 821-C	225 x 185 x 30	archival board, 240, light grey
<i>Juris folder for size A4</i>				
048289201		A4	305 x 230 x 30	archival board, 450, light grey
048289211		A4	305 x 230 x 60	archival board, 450, light grey
0485	✓	A4	318 x 230 x 30	archival board, 240, light grey
04853	✓	A4	318 x 230 x 30	archival board, 330, light grey
048534	✓	A4, DIN 821-C	318 x 230 x 30	archival board, 330, light grey
<i>Juris folder for size folio</i>				
0484	✓	folio	345 x 230 x 30	archival board, 240, light grey
04843	✓	folio	345 x 230 x 30	archival board, 330, light grey
<i>Juris folder for size large folio</i>				
04823401	✓	large folio	370 x 250 x 30	archival board, 240, light grey
04823402	✓	large folio	370 x 250 x 30	archival board, 330, light grey
<i>Juris folder for size A3</i>				
0483	✓	A3	430 x 320 x 30	archival board, 240, light grey
04873	✓	A3	430 x 320 x 30	archival board, 330, light grey
<i>Juris folder for size A2</i>				
04834802		A2, DIN 821-C	605 x 430 x 30	archival board, 330, light grey
<i>Juris folder for size A1</i>				
04834912	✓	A1	850 x 600 x 15	archival board, 330, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04820243	✓	DIN 821-C	130 x 90 x 30	archival board, 240, light grey
04820241	✓	DIN 821-C	130 x 90 x 30	archival board, 330, light grey
01170101	✓	A6	160 x 115 x 30	archival board, 240, light grey
01170202	✓	A6, DIN 821-C	160 x 117 x 30	archival board, 240, light grey
04830301	✓	DIN 821-C	200 x 160 x 30	archival board, 240, light grey
04830302	✓	DIN 821-C	200 x 160 x 30	archival board, 330, light grey
048105620/1	✓	A5, DIN 821-C	210 x 150 x 30	archival board, 240, light grey
048105620	✓	A5, DIN 821-C	210 x 150 x 30	archival board, 330, light grey
04820502	✓	A5	220 x 170 x 30	archival board, 330, light grey
04825795	✓	A5	220 x 170 x 35	archival board, 240, light grey
04825895	✓	A5	220 x 170 x 35	archival board, 330, light grey
048211	✓	A5, DIN 821-C	225 x 185 x 30	archival board, 330, light grey
01170701	✓	A5	230 x 160 x 50	archival board, 240, light grey
01170702	✓	A5	230 x 160 x 50	archival board, 330, light grey
01170703	✓	A5	230 x 162 x 50	archival board, 240, light grey
01170704	✓	A5	230 x 162 x 50	archival board, 330, light grey
04820901	✓		240 x 180 x 20	archival board, 240, light grey
04820902	✓		240 x 180 x 20	archival board, 330, light grey
0483272	✓	DIN 821-C	240 x 180 x 30	archival board, 240, light grey
0483271	✓	DIN 821-C	240 x 180 x 30	archival board, 330, light grey
04821001	✓	DIN 821-C	240 x 200 x 20	archival board, 240, light grey
04821002	✓	DIN 821-C	240 x 200 x 20	archival board, 330, light grey
04831301	✓	DIN 821-C	250 x 180 x 30	archival board, 240, light grey
04831302	✓	DIN 821-C	250 x 180 x 30	archival board, 330, light grey
04825781	✓		250 x 180 x 35	archival board, 240, light grey
04825881	✓		250 x 180 x 35	archival board, 330, light grey
04831303	✓	DIN 821-C	250 x 186 x 30	archival board, 240, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04831304	✓	DIN 821-C	250 x 186 x 30	archival board, 330, light grey
04831401	✓	DIN 821-C	265 x 220 x 30	archival board, 240, light grey
04831402	✓	DIN 821-C	265 x 220 x 30	archival board, 330, light grey
04831403	✓		270 x 170 x 30	archival board, 240, light grey
04831404	✓		270 x 170 x 30	archival board, 330, light grey
04857834	✓		285 x 225 x 30	archival board, 240, light grey
04857934	✓		285 x 225 x 30	archival board, 330, light grey
04821701	✓	A4	305 x 220 x 50	archival board, 240, light grey
04821702	✓	A4	305 x 220 x 50	archival board, 330, light grey
04831901	✓	A4	305 x 230 x 30	archival board, 240, light grey
04831902	✓	A4	305 x 230 x 30	archival board, 330, light grey
04812127	✓	A4	310 x 220 x 25	archival board, 240, light grey
04846834	✓	A4	310 x 220 x 25	archival board, 330, light grey
04825741	✓	A4	310 x 225 x 35	archival board, 240, light grey
04853728	✓	A4	310 x 230 x 30	archival board, 240, light grey
04853723	✓	A4	310 x 230 x 30	archival board, 330, light grey
04853786	✓	A4	310 x 230 x 60	archival board, 240, light grey
04853776	✓	A4	310 x 230 x 60	archival board, 330, light grey
04871959	✓	A4	310 x 265 x 55	archival board, 240, light grey
04872059	✓	A4	310 x 265 x 55	archival board, 330, light grey
048532	✓	A4, DIN 821-C	318 x 230 x 30	archival board, 240, light grey
048531	✓	A4, DIN 821-C	318 x 230 x 50	archival board, 240, light grey
048533	✓	A4, DIN 821-C	318 x 230 x 50	archival board, 330, light grey
04832001	✓		320 x 240 x 40	archival board, 240, light grey
04832003	✓		320 x 240 x 40	archival board, 330, light grey
048719320	✓		320 x 240 x 150	archival board, 240, light grey
048720320	✓		320 x 240 x 150	archival board, 330, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
0485431	✓	DIN 821-C	320 x 245 x 60	archival board, 240, light grey
0485331	✓	DIN 821-C	320 x 245 x 60	archival board, 330, light grey
0485378	✓		328 x 240 x 30	archival board, 240, light grey
0485377	✓		328 x 240 x 30	archival board, 330, light grey
04832002	✓	DIN 821-C	340 x 230 x 35	archival board, 240, light grey
04832004	✓	DIN 821-C	340 x 230 x 35	archival board, 330, light grey
04842934	✓	folio	345 x 230 x 20	archival board, 240, light grey
04843034	✓	folio	345 x 230 x 20	archival board, 330, light grey
04824303	✓	folio	345 x 245 x 30	archival board, 240, light grey
0482430	✓	folio	345 x 245 x 30	archival board, 330, light grey
04812128	✓	folio	350 x 230 x 25	archival board, 240, light grey
04814588	✓	folio	350 x 230 x 25	archival board, 330, light grey
04886222	✓	folio	350 x 230 x 30	archival board, 240, light grey
04886223	✓	folio	350 x 230 x 30	archival board, 330, light grey
04832201	✓	folio	350 x 230 x 54	archival board, 240, light grey
04832202	✓	folio	350 x 230 x 54	archival board, 330, light grey
04812131			350 x 230 x 60	archival board, 450, light grey
0484120	✓	folio	350 x 230 x 120	archival board, 240, light grey
0484220	✓	folio	350 x 230 x 120	archival board, 330, light grey
04832203	✓	folio	350 x 240 x 1	archival board, 240, light grey
04887533	✓	folio	350 x 240 x 60	archival board, 240, light grey
04886533	✓	folio	350 x 240 x 60	archival board, 330, light grey
048843	✓	folio	350 x 250 x 40	archival board, 240, light grey
048833	✓	folio	350 x 250 x 40	archival board, 330, light grey
048832	✓	folio	350 x 250 x 50 ⁷⁾	archival board, 530, light grey
04820537	✓	DIN 821-C	355 x 288 x 1	archival board, 330, light grey
04832301	✓	folio, DIN 821-C	360 x 220 x 30	archival board, 240, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04832302	✓	folio, DIN 821-C	360 x 220 x 30	archival board, 330, light grey
04832403	✓	folio, DIN 821-C	360 x 220 x 55	archival board, 240, light grey
04832303	✓	DIN 821-C	360 x 220 x 55	archival board, 330, light grey
04832501	✓	folio	360 x 240 x 25	archival board, 240, light grey
04832502	✓	folio	360 x 240 x 25	archival board, 330, light grey
04832505	✓	folio	360 x 240 x 30	archival board, 240, light grey
04832503	✓	folio	360 x 240 x 30	archival board, 330, light grey
04822401	✓	DIN 821-C	360 x 240 x 50	archival board, 240, light grey
04822402	✓	DIN 821-C	360 x 240 x 50	archival board, 330, light grey
04832701	✓	DIN 821-C	360 x 240 x 50 ⁷⁾	archival board, 530, light grey
04822801	✓	folio	360 x 240 x 55	archival board, 240, light grey
04822802	✓	folio	360 x 240 x 55	archival board, 330, light grey
04832602	✓	folio	360 x 245 x 40	archival board, 330, light grey
04853824	✓	folio	360 x 245 x 60	archival board, 240, light grey
04853724	✓	folio	360 x 245 x 60	archival board, 330, light grey
04853926	✓	folio	360 x 245 x 90	archival board, 240, light grey
04853826	✓	folio	360 x 245 x 90	archival board, 330, light grey
04810112	✓	folio	360 x 250 x 30	archival board, 240, light grey
04810113	✓	folio	360 x 250 x 30	archival board, 330, light grey
04832901	✓	DIN 821-C	360 x 260 x 30	archival board, 240, light grey
04832902	✓	DIN 821-C	360 x 260 x 30	archival board, 330, light grey
04813513	✓	DIN 821-C	360 x 272 x 1	archival board, 240, light grey
01174365	✓	folio	364 x 249 x 40	archival board, 330, light grey
01173101	✓	folio	365 x 245 x 50	archival board, 240, light grey
01173102	✓	folio	365 x 245 x 50	archival board, 330, light grey
04810015	✓	DIN 821-C	365 x 297 x 5	archival board, 330, light grey
04848349	✓	DIN 821-C	365 x 297 x 10	archival board, 330, light grey

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
Unit = sales unit; H = height; W = width; T = thickness; D = depth; L = length; ⁷⁾ sold only 250 pieces onwards

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
0481211	✓		370 x 125 x 50	archival board, 330, light grey
04853501	✓	large folio, DIN 821-C	370 x 250 x 40 ⁷⁾	archival board, 530, light grey
04872077	✓	large folio	370 x 250 x 60	archival board, 240, light grey
04872177	✓	large folio	370 x 250 x 60	archival board, 330, light grey
04823701	✓	large folio	370 x 260 x 30	archival board, 240, light grey
04823702	✓	large folio	370 x 260 x 30	archival board, 330, light grey
04833801	✓	DIN 821-C	370 x 290 x 30	archival board, 240, light grey
04833802	✓	DIN 821-C	370 x 290 x 30	archival board, 330, light grey
04853752	✓	large folio	380 x 250 x 30	archival board, 240, light grey
04843843	✓	large folio	380 x 250 x 30	archival board, 330, light grey
04810555	✓	large folio	380 x 250 x 77 ⁷⁾	archival board, 530, light grey
04872030	✓	large folio, DIN 821-C	380 x 260 x 1	archival board, 240, light grey
04872022	✓	large folio, DIN 821-C	380 x 260 x 1	archival board, 330, light grey
0487220	✓	large folio	380 x 270 x 30	archival board, 240, light grey
0487209	✓	large folio	380 x 270 x 30	archival board, 330, light grey
04872088	✓	large folio	380 x 280 x 60	archival board, 240, light grey
04872098	✓	large folio	380 x 280 x 60	archival board, 330, light grey
04820034	✓	DIN 821-C	380 x 300 x 20	archival board, 240, light grey
04820033	✓	DIN 821-C	380 x 300 x 20	archival board, 330, light grey
04823901	✓	large folio	385 x 275 x 30	archival board, 240, light grey
04823902	✓	large folio	385 x 275 x 30	archival board, 330, light grey
04872032	✓		390 x 290 x 30	archival board, 240, light grey
04872014	✓		390 x 290 x 30	archival board, 330, light grey
04834101	✓	DIN 821-C	395 x 310 x 30	archival board, 240, light grey
04834102	✓	DIN 821-C	395 x 310 x 30	archival board, 330, light grey
04824301	✓		400 x 280 x 30	archival board, 240, light grey
04824302	✓		400 x 280 x 30	archival board, 330, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

Item	FSC®	For size/format design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04822105	✓	DIN 821-C	420 x 265 x 30	archival board, 240, light grey
04822104	✓	DIN 821-C	420 x 265 x 30	archival board, 330, light grey
04824502	✓		430 x 280 x 30	archival board, 330, light grey
04820201	✓	A3	430 x 300 x 60	archival board, 240, light grey
04820101	✓	A3	430 x 300 x 60	archival board, 330, light grey
04825823	✓	A3	430 x 320 x 35	archival board, 240, light grey
04825723	✓	A3	430 x 320 x 35	archival board, 330, light grey
048720056	✓	DIN 821-C	435 x 365 x 1	archival board, 240, light grey
04872005	✓	DIN 821-C	435 x 365 x 1	archival board, 330, light grey
04872114	✓	A3, DIN 821-C	440 x 310 x 10	archival board, 240, light grey
04872112	✓	A3, DIN 821-C	440 x 310 x 10	archival board, 330, light grey
04853927	✓	A3	440 x 330 x 105	archival board, 240, light grey
04853827	✓	A3	440 x 330 x 105	archival board, 330, light grey
04825503	✓		445 x 315 x 30	archival board, 240, light grey
04825502	✓		445 x 315 x 30	archival board, 330, light grey
04871046	✓		490 x 430 x 10	archival board, 240, light grey
04872046	✓		490 x 430 x 10	archival board, 330, light grey
048245031	✓	DIN 821-C	498 x 358 x 30	archival board, 240, light grey
0489749	✓	DIN 821-C	498 x 358 x 30	archival board, 330, light grey
048349011	✓	DIN 821-C	500 x 350 x 1	archival board, 330, light grey
04834901	✓	DIN 821-C	500 x 400 x 1	archival board, 240, light grey
04834902	✓	DIN 821-C	500 x 400 x 1	archival board, 330, light grey
048858	✓	DIN 821-C	500 x 400 x 20	archival board, 240, light grey
048857	✓	DIN 821-C	500 x 400 x 20	archival board, 330, light grey
04837001	✓		525 x 370 x 30	archival board, 330, light grey
048251023	✓	DIN 821-C	530 x 365 x 10	archival board, 330, light grey
04872405	✓		545 x 375 x 30	archival board, 330, light grey

7. Cardboard pages/Folders

7.3 Folders with flaps

Juris folders (Standard assortment available at short notice – the items shown in the table on the right are manufactured to order.)

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
Unit = sales unit; H = height; W = width; T = thickness; D = depth; L = length

7. Cardboard pages/Folders

7.3 Folders with flaps

Folders with three flaps, slits and ribbons



Three-flap folder with slits and textile closure ribbons, ideal for storing brochures, bundles, leaflets and other kinds of flat documents. The folder is made from archival board 047, 330 gsm, grey-blue in colour. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). Variable filing depth thanks to multi-groove flaps. Closure ribbon supplied uncut on a roll. Custom formats upon request.

Item	FSC®	For size/design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04720011	✓	DIN 821-C	330 x 240 x 30	archival board 047, 330 gsm, grey-blue

7.3 Folders with flaps

Folders with three flaps, reinforced base and ribbons



Three-flap folder with reinforced base, slits and textile closure ribbons – ideal for storing brochures, bundles, leaflets and other kinds of flat documents. Manufactured either from archival board 04799, 550 gsm or archival board 047, 330 gsm. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). Variable filing depth thanks to multi-groove flaps. Closure ribbon supplied uncut on a roll. Custom formats upon request.

Artikel-Nr.	FSC®	For size/design	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04720022	✓	DIN 821-C	240 x 173 x 30	archival board 047, 330 gsm, grey-blue
0472001275	✓		330 x 240 x 40	archival board 04799, 550 gsm, grey-blue/natural white
0472001475	✓	DIN 821-C	400 x 290 x 40	archival board 04799, 550 gsm, grey-blue/natural white
0472001675	✓	DIN 821-C	490 x 290 x 40	archival board 04799, 550 gsm, grey-blue/natural white

7. Cardboard pages/Folders

7.3 Folders with flaps

Graphic folders – with glued on flaps and ribbons



Depending on the format, flaps are glued on the exterior or attached with black mesh shirting ribbon. This creates smooth inner surfaces. The lid is attached with black mesh shirting ribbon. Three ribbon pairs are provided for closure. The document folders, also referred to as drawing, artwork or archival folders, are often used to store valuable maps, plans, posters, documents and individual pictures.

Item	FSC®	Int. dimensions H x W x T (mm)	Material, weight (gsm), colour
04847060	✓	460 x 320 x 30	corpus: MW 1.7, flaps: archival board 047 330 gsm, grey-blue/natural white
04847050	✓	520 x 420 x 30	corpus: MW 1.7, flaps: archival board 047 330 gsm, grey-blue/natural white
04847040	✓	620 x 520 x 30	corpus: MW 1.7, flaps: archival board 047 330 gsm, grey-blue/natural white
04847010	✓	820 x 620 x 30	corpus: MW 1.7, flaps: archival board 047 330 gsm, grey-blue/natural white
04847030	✓	1070 x 850 x 30	corpus: MW 1.7, flaps: archival board 047 330 gsm, grey-blue/natural white
04847020	✓	1200 x 800 x 15	corpus: MW 1.7, flaps: archival board 047 330 gsm, grey-blue/natural white
04848070	✓	1400 x 1000 x 15	corpus and flaps both manufactured from MW 1.7, grey-blue/natural white
04847070	✓	1500 x 900 x 15	corpus and flaps both manufactured from MW 1.7, grey-blue/natural white

7.3 Folders with flaps

KSM 22 – with fixed filing depth



The KSM 22 with a fixed filing depth is a very form-stable and sturdy folder made from aging-resistant corrugated board, ideal for standard filing or archiving systems. Especially designed to accommodate delicate, thin items from 5 mm thickness onwards, without compromising on archival protection. A practical locking tab on the cover and a side insertion slot ensure secure closure and easy handling in everyday use.

Item	FSC®	For size	Int. dimensions H x W x T (mm)	Ext. dimensions H x W x T (mm)	Material, weight (gsm), colour
1172522	✓	A4	310 x 220 x 10	313 x 227 x 15	F 1.1, 515, grey-blue/natural white
21186002	✓	A3	425 x 302 x 33	429 x 315 x 40	MW 1.6, 560, light grey/natural white
21656022	✓	A3	425 x 302 x 33	429 x 315 x 40	MW 1.65, 560, grey-blue/natural white
211860122	✓	A2	600 x 430 x 33	603 x 438 x 40	MW 1.6, 560, light grey/natural white
21656322	✓	A2	600 x 430 x 33	603 x 438 x 40	MW 1.65, 560, grey-blue/natural white

7. Cardboard pages/Folders

7.4 Folders with filing mechanism



An archival folder "Brauweiler Folder" with included polyimide filing mechanism for filing sheets of A4, folio and large folio sizes. Made from archival board 048, 330 gsm, light grey in colour. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). Other sizes on request.

Item	FSC®	For size/ format	Int. dimensions L x W x H (mm)	Ext. dimensions L x W x H (mm)	Material, weight (gsm), colour
940150		A4	310 x 225 x 70	311 x 226 x 71	archival board, 330, light grey
940154	✓	folio	336 x 225 x 70	337 x 256 x 71	archival board, 330, light grey
940156		large folio	355 x 255 x 70	356 x 256 x 71	archival board, 330, light grey

7.5 Preservation folders



Stackable preservation folders available with or without flaps for embedding valuable and pressure-sensitive archival objects of various sizes. The object is embedded in a bed frame made of either conservation board, corrugated board or a honeycomb panel. The bed frame is glued to a folder. The embedded object is provided a safe housing from all kinds of mechanical impacts.

Item	Design	Int. dimensions L x W x H (mm)	Ext. dimensions L x W x H (mm)	Material, weight (gsm), colour
0489 xx	individual sizes and designs available			

8. Enclosures

8.1 Folder enclosures

- made from opaque paper



Folder enclosures made from unbuffered, opaque photographic archival paper 120 gsm or buffered natural white coloured museum paper 120 gsm, light white. The enclosure is open on three sides and has a 10 mm longer back flap for inscription purposes. These enclosures are ideally suitable for the archival storage of prints, negatives, glass plates etc.

The paper has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

[illegible]

8. Enclosures

8.2 Envelopes U-style

- made from transparent paper



The transparent archival paper developed by KLUG-CONSERVATION differs from conventional glassine papers in that it is manufactured according to our own specifications from 100% pure virgin fibers and is free from sulfur, acids, lignin, plasticizers and metals. These photo archival envelopes are ideal for the preservation of photographic prints, negatives and glass plates. The opening is located on the long side. The paper and adhesive have passed the Photographic Activity Test (PAT) in accordance with ISO 18916. Other sizes and formats are available upon request.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade
Unit = sales unit; H = height; W = width; T = thickness; D = depth; L = length

8. Enclosures

8.2 Envelopes U-style

- made from opaque paper



Premium-quality photographic archival envelopes with exterior gumming for storage of prints, negatives, microfiches and glass plates. The envelopes are made from ageing-resistant photographic archival paper with the opening located on the long side. Available buffered or unbuffered and in white or natural white. Smooth interior surfaces due to exterior gumming. The stored object has no contact with the gummed flap and is safe from any rubbing or chafing that may otherwise be caused by paper edges located inside the envelope. Paper and glue have passed the Photographic Activity Test (PAT) according to ISO 18916.

[illegible]

8. Enclosures

8.2 Envelopes U-style

– made from polyester



Transparent SECOL P1-polyester pocket pages available in various formats and thickness 0.075 mm (75 micron), opening on the smaller side. Photographic Activity Test (PAT) passed in accordance with the ISO 18916 norm.

Item	For size/format (cm)	Thickness (mm)	Int. dimensions H x W (mm)	Material	Pages/unit
6236	13 x 18, A5	0.075	230 x 152	SECOL P1-polyester, transparent	50
6237	A4	0.075	305 x 220	SECOL P1-polyester, transparent	50

8. Enclosures

8.3 Envelopes L-style

- made from buffered museum paper



Envelope type enclosures with a L-style opening, open on two adjacent sides and gummed together on the shorter interior side. The envelopes are available in buffered museum paper, 120 gsm, light white in colour. They are manufactured without the usage of optical brighteners.

Both, the paper and adhesive have passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

[illegible]

8. Enclosures

8.4 Binder pocket pages

– made from transparent paper



Binder pocket pages made from transparent archival paper without an alkaline buffer, with reinforced, standard 4-hole binder-edges.

Available for 35 mm, 6 x 6 cm negative strips (pocket opening on the side), for A4/A6 sizes and standard photo sizes (pocket opening on top).

Other sizes on request. Paper and adhesive have passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	For size (cm/inch)/format	Pocket dims. H x W (mm)	Page dims. H x W (mm)	Material, weight (gsm), colour	Pages/ unit
3222	✓	4 pockets 6 x 6 cm, 6 x 9 cm (negative strips)	70 x 185	305 x 215	archival paper, 40, transparent	1000
3204		1 pocket 18 x 24 cm, 8 x 10", A4	300 x 215	305 x 240	archival paper, 40, transparent	1000
3221	✓	7 pockets 35 mm-film (negative strips)	35 x 225	305 x 252	archival paper, 40, transparent	1000
3226	✓	4 pockets 9 x 12 cm, 9 x 13 cm, 3.5 x 5"	142 x 100	310 x 238	archival paper, 40, transparent	1000
3225		2 pockets 10 x 15 cm, 13 x 18 cm, A6 4 x 6", 5 x 7"	145 x 197	310 x 238	archival paper, 40, transparent	1000

8.4 Binder pocket pages

– made from opaque paper



Binder pocket pages made from opaque archival paper without an alkaline buffer, with reinforced, standard 4-hole binder-edges.

Available for A5/A6 sizes and for standard photo sizes (pocket opening on top). Other sizes on request. Paper and adhesive have

passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	For size (cm/inch)/format	Pocket dims. H x W (mm)	Page dims. H x W (mm)	Material, weight (gsm), colour	Pages/ unit
3225-10		2 pockets 13 x 18 cm, 10 x 15 cm, A6, 5 x 7", 4 x 6"	185 x 136	303 x 210	archival paper, 90, opaque	500
3225-12	✓	1 pocket 18 x 24 cm, A5, 6 x 8"	293 x 185	303 x 210	archival paper, 90, opaque	500

8. Enclosures

8.4 Binder pocket pages

– made from polyester



Transparent SECOL polyester binder pocket pages available in various formats. Made from either AS-Polyester or P1-Polyester material, 0.075 mm (75 micron) thickness, with standard 4-hole binder-edge.

Photographic Activity Test (PAT) passed in accordance with the ISO 18916 standard.

[illegible]

8. Enclosures

8.5 Four flap folders

– unbuffered and buffered qualities



Seamless, four flap folder enclosures folded from a single sheet. made of either opaque, unbuffered, photographic archival paper or buffered, natural white coloured museum paper. These folder enclosures are suitable for archiving glass plates, valuable photographs and negatives. The maximum filling depth is 3 mm. Other sizes available on request.


Both papers have successfully passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Item	FSC®	For size (cm)	Int. dimensions W x H (mm)	Ext. dimensions W x H (mm)	Material, weight (gsm), colour	Folder/unit
– made from unbuffered photographic archival paper 120 gsm						
5173	✓	4.5 x 6.5	46 x 66	47 x 67	photographic archival paper, 120, natural white	500
5131	✓	4.5 x 11	47 x 112	48 x 113	photographic archival paper, 120, natural white	500
5160	✓	6 x 9	62 x 92	63 x 93	photographic archival paper, 120, natural white	500
5107	✓	6 x 13	62 x 132	63 x 133	photographic archival paper, 120, natural white	500
5110	✓	8.5 x 10	87 x 102	88 x 103	photographic archival paper, 120, natural white	500
5111	✓	9 x 12	91 x 121	92 x 122	photographic archival paper, 120, natural white	500
5112	✓	9 x 13	92 x 130	93 x 131	photographic archival paper, 120, natural white	500
5113	✓	10 x 15	101 x 151	102 x 152	photographic archival paper, 120, natural white	500
5115	✓	13 x 18	131 x 181	132 x 182	photographic archival paper, 120, natural white	500
5116	✓	18 x 24	181 x 241	182 x 242	photographic archival paper, 120, natural white	500
5117	✓	24 x 30	241 x 301	242 x 302	photographic archival paper, 120, natural white	500
5118		30 x 40	301 x 401	302 x 402	photographic archival paper, 120, natural white	500
– made from buffered museum paper 120 gsm						
51135		4.5 x 11.5	46 x 116	47 x 117	museum paper, 120, light white	500
51601	✓	6 x 9	62 x 92	63 x 93	museum paper, 120, light white	500
51072	✓	6 x 13	62 x 132	63 x 133	museum paper, 120, light white	500
51103		8,5 x 10	87 x 102	88 x 103	museum paper, 120, light white	500
51112	✓	9 x 12	91 x 121	92 x 122	museum paper, 120, light white	500
51122		9 x 13	92 x 130	93 x 131	museum paper, 120, light white	500
51132	✓	10 x 15	101 x 151	102 x 153	museum paper, 120, light white	500
51152	✓	13 x 18	131 x 181	132 x 182	museum paper, 120, light white	500
51164	✓	18 x 24	181 x 241	182 x 242	museum paper, 120, light white	500
51172	✓	24 x 30	241 x 301	242 x 302	museum paper, 120, light white	500
51182	✓	30 x 40	301 x 401	302 x 402	museum paper, 120, light white	500

8. Enclosures

8.6 Envelopes for documents

– made from archival paper



An envelope enclosure closed on all sides and thus with no loss of fragments. Ideal for archiving legal documents, certificates, manuscripts etc. The envelope is folded together, four-sided, from a single sheet of light grey or grey-blue archival paper, 130 gsm. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). Other sizes on request.

Item	FSC®	Design	Int. dimensions L x W x H (mm)	Ext. dimensions L x W x H (mm)	Material, weight (gsm), colour
941151		folded from a single sheet	260 x 180 x 2	261 x 181 x 3	archival paper, 130, light grey
9411511	✓	folded from a single sheet	260 x 180 x 2	261 x 181 x 3	archival paper, 130, grey-blue
941152	✓	folded from a single sheet	325 x 230 x 2	326 x 231 x 3	archival paper, 130, light grey

8.6 Envelopes for documents

– made from archival board



An envelope enclosure closed on all sides, with block bottom and variable filling depth. No loss of fragments. Ideal for archiving legal documents, certificates, manuscripts etc. A very compact archiving method for minimum space requirement. The envelope enclosure is made from light grey coloured archival board, 240 gsm. Due to special surface treatment dirt-resistant, erasable and rub-proof (dry wiping). Other sizes on request.

Item	FSC®	Design	Int. dimensions L x W x H (mm)	Ext. dimensions L x W x H (mm)	Material, weight (gsm), colour
941150	✓	closed all around	220 x 340 x 40	221 x 341 x 41	archival board, 240, light grey

8. Enclosures

8.7 Seal bags

A protective bag (covering) made from permeable, ageing-resistant, pure polyester fleece, for attached, removed or hanging pendant type seals. The polyester bag provides maximum protection against damages caused by pressure implementation, wear and tear, scratches, dirt and other impurities.



Item	Seal size (Ø in mm)	Seal bag size (cm)	Thickness (mm)	Weight (gsm)	Quantity/ unit	Colour
9411601	35	5.1 x 6.1	2.0	300	100	white
941160	45	7.1 x 6.1	2.0	300	100	white
941165	55	8.6 x 7.3	2.0	300	100	white
941170	70	10.6 x 9.0	2.0	300	100	white
941175	80	11.6 x 9.9	2.0	300	100	white
941180	90	13.0 x 11.0	2.0	300	100	white
9411160	160	19.0 x 22.6	2.0	300	100	white

9. Glues/Tapes

9.1 Dispersion glue

– water-based



Item	Weight (kg)	Material	Qty./unit	Colour
0199	0.5	dispersion glue/short open time	1 plastic jar	white

Dispersion glue made on an aqueous basis, plasticizer-free and pH-neutral. Suitable for both manual and machine bookbinding and laminating applications. Glue 0199 has a short open time and is particularly suitable for applications requiring fast initial adhesion of the substrates. This dispersion glue has been developed especially for the long-term preservation and archival storage of photographic items.

9.1 Tylose MH300



Item	Weight (ml)	Qty./unit	Colour
0203	40	1 tube	transparent

A suitable glue for file preparation (treatment), mounting of objects and other applications in the conservation and preservation fields. From the conservation point-of-view, the cellulose derivative „Tylose MH300“ (methyl hydroxyethyl cellulose) is a totally harmless and reversible glue. This biopolymer is usually utilized in the field of paper conservation. It is physiologically harmless and water-soluble. Micro-organisms can affect this adhesive with great difficulty.

9. Glues/Tapes

9.2 Tapes

– made from paper



Paper tape made on the basis of potato starch and manufactured without the usage of softeners or plasticizers. Used for the manufacture of conservation-quality mats, mounts, file and preservation folders in the picture framing industry. Free of acidic substances.

Item	Reel width (cm)	Running metres ²⁾ (m)	Weight (gsm)	pH value	Reel/unit	Colour
067-25/0	2.5	50	approx. 70	approx. 7.0	1	white
067-50/0	5.0	50	approx. 70	approx. 7.0	1	white

9.2 Tapes

– made from fabric



Starch-based fabric tape manufactured without the usage of softeners or plasticizers. Used for the manufacture of conservation-quality mats, mounts, file and preservation folders in the picture framing industry. Free of acidic substances. Grammage of the fabric tape including the adhesive coating is approx. 170 gsm.

Item	Reel width (cm)	Running metres ²⁾ (m)	Weight (gsm)	pH value	Reel/unit	Colour
089-23	3.0	50	170	7.0 – neutral	1	natural white
089-24	4.0	50	170	7.0 – neutral	1	natural white
089-25	5.0	50	170	7.0 – neutral	1	natural white
089-26	6.0	50	170	7.0 – neutral	1	natural white

10. Accessories

10.1 Label paper

White coloured, conservation-quality label paper with a dextrin-based gumming. Labels are available in A4 size (one A4 sheet) as well as many other sizes (micro-perforated A4 sheets). Suitable for printing using laser, inkjet, needle, thermo-transfer printers as well as for offset print. Size, format and print colour of each label can be customized according to individual requirements. The label can be mounted with ease by activating the gummed backside with moisture.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

1) cuttings to size extra cost; 2) cuttings are not possible; 3) without 4-sided angular cut; 4) each sales unit packed separately in brown packing paper; 5) extra cost for freight and packaging; 6) sold only per complete sales unit

10. Accessories

10.2 Signature labels

[illegible]

Signature labels are made from ageing-resistant label paper of conservation-quality. Each individual label is laser printed.

We not only label individual boxes, file folders and enclosures, but on request we can have the similar labels printed (offset or silk-screen print) and brought onto any desired KLUG product.

10. Accessories

10.3 Label frames



The main advantage of these label frames (holder) made from archival board is that the inscription can be easily removed or replaced and thus very user-friendly. The frame label can be brought on to any desired position.

Custom-made frame sizes available on request.

[illegible]

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

1) cuttings to size extra cost; 2) cuttings are not possible; 3) without 4-sided angular cut; 4) each sales unit packed separately in brown packing paper; 5) extra cost for freight and packaging; 6) sold only per complete sales unit

10. Accessories

10.4 Barcode labels

— also used as bookmarks




Barcode labels are made of light grey, ageing-resistant, buffered, archival paper 048, 130 gsm. A semi-circular cut-out in the upper section of the label makes it easy to fix to one or several sheets. Enough of the tag protrudes from the object to accommodate a commercially available barcode sticker. The material meets the technological requirements of ISO 9706 and has passed a PAT (Photographic Activity Test).

Item	FSC®	Size H x W (mm)	Material	Shts./unit ⁶⁾	Colour
97-0003	✓	180 x 60	archival paper 048, 130 gsm	100	light grey
97-0001	✓	200 x 90	archival paper 048, 130 gsm	100	light grey

10.5 Mounting accessories

Mounting corners



Mounting corners used for mounting photographs, graphics and other flat originals. Made of unbuffered photographic archival paper, 120 gsm, without the usage of optical brightening agents (OBA-free).

– Cutting size 25 x 35 cm with 36 mounting corners, not broken off. Packed in plastic polythene bags, including instructions.

Item	Weight (gsm)	Size of cutting (cm)	Size of corner (mm)	Corners/cutting ²⁾	Shts./unit ⁶⁾ (corners)	Colour
9411140	120	25 x 35	20 x 27	36	10 (360 corners)	natural white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; H = height; W = width; Shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

10. Accessories

10.5 Mounting accessories

Mounting segments for seals



Mounting segments used to affix legal documents with attached or hanging pendant seals. Circular and angular segments - made of ageing resistant board – are most commonly used for mounting flat documents. The segments are glued either flush or offset, mounted above each other. This enables the fixation of various types of seal forms or legal documents onto flat documents without causing any damage.

Photo: City Frankfurt / Main – Institute for Municipal History – Mrs. Jana Moczarski

Item	For size (mm) design	Material (mm)	Segments/ cutting	Cuttings/unit ²⁾	Colour
9411100	circular segment: 27 x 96 x 12	MW 1.8	12	1	light grey/natural white
9411110	circular segment: 4 different radiuses	MW 1.8	72	1	light grey/natural white
9411120	circle diameter: 30	MW 1.8	20	1	light grey/natural white
9411130	angular segment: 35 x 35	MW 1.8	20	1	light grey/natural white

10.6 Paper fastening strips

– for roll films



Fastening strip (band) for 16 mm and 35 mm roll films made from buffered museum paper. Three slits enable easy closure. To fasten the paper strip, the end can be inserted through the slits only in one direction or additionally looped back through the first slit for a secure hold. Fastening strips protect microfilms (film carriers) and prevents accidental unrolling. The used paper material has passed the Photographic Activity Test (PAT) in accordance with ISO 18916.

Delivered in die-cut sheet format, not punched out, and packed per unit.

Item	FSC®	For size H x W (mm)	Material, weight	Strips/unit ⁶⁾	Colour
9001952	✓	360 x 16	museum paper, 160 gsm	100	light white
9001953		360 x 35	museum paper, 160 gsm	104	light white

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shts. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

10. Accessories

10.7 Polyester nonwoven fabric

– on rolls, thermally bonded



Polyester nonwoven fabric roll, 30 gsm, thermally bonded, air-permeable, chemically inert with an extremely smooth surface finish. The support fabric can be used in many different types of preservation and restoration work, e.g. to support fragile items during conservation treatments, as a release material in wet processes (carrier-support while soaking items in water) and as interleaving material.

Item	Weight (gsm)	Roll width (cm)	Running metres (m)	Material	Roll/unit ²⁾	Colour
9411903	30	100	50	100% polyester	1	white

10.8 Polyamide filing mechanism



Polyamide filing mechanism (clip) – archival quality filing mechanism for use with folders and punched pages. Made of 100% polyamide plastic, light grey, plasticizer-free, high tensile strength, ageing-resistant. Easy placement of paper on rounded heads of filing mechanism. Stack of bundled paper can be leafed through. Heads of archiving clips marketed since autumn 2021 fit inside commonly available file content transfer tools.

Item	Design	Material	Qty./unit	Colour
900199	filing depth 95 mm – contents of 1 file/binder	100% polyamide	1000	light grey

FSC® (Forest Stewardship Council) = Items with virgin cellulose fibre from sustainable forest cultivation and trade; shs. = sheets; unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible; ³⁾ without 4-sided angular cut; ⁴⁾ each sales unit packed separately in brown packing paper; ⁵⁾ extra cost for freight and packaging; ⁶⁾ sold only per complete sales unit

10. Accessories

10.9 Transfer filing tool

– for KLUG filing mechanism



Item	Material	Item/unit	Colour
900200	metal	1	green/beige

Stacks of paper can be transferred easily using this transfer tool designed specifically for our KLUG filing mechanism (clips). Simply place the transfer tool on an open file mechanism or KLUG filing clip and transfer the filed contents.

Holder and side pieces are made of metal.

10.10 Albertina poultice



Item	Size ²⁾ (cm)	Sets/unit	Colour
0512030	20 x 30	1	white
0512040	30 x 40	1	white

This enzyme poultice is a ready-for-use product for the easy removal of non-swellable starch-based (amylase) glue.

The set is available in a plastic pocket bag and comprises of two interleaving tissue papers, an amylase poultice and a moistening fleece (blotting board).

Please pay particular attention to the application instructions.

Unit = sales unit

¹⁾ cuttings to size extra cost; ²⁾ cuttings are not possible

10. Accessories

10.11 Panduran pen



Item	Design	Pens/unit	Colour
11-1	pen	1	white

Since the 19th century machine-made paper and board material was generally sized with alum. This has been the main reason for the premature decay of paper. Panduran is an eriochrome dye which reacts chemically to the aluminium ions present in alum, and in the process changes from yellow to blue to violet, thus detecting the alum content in the paper being tested. This reaction is not influenced by the pH of the tested paper. Boards and papers with alum content are principally not suitable for long-term archival storage.

10.12 Set for determination of grammage



Item	Content	Set/unit
99-939	digital scale, cutter knife, cutting template, calibration weight	1

The set for determination of grammage can be used to determine the grammage of paper, board and corrugated board within minutes.

Grammage is the quotient of weight and unit area. It is stated in gsm.

Example:


One sheet of board of size 7.071 x 7.071 cm (= 50 cm²) weighs 1.5 g.

The board grammage in this case is

1.5 g / 0.005 m² = 300 gsm.

11. Boxing System

11.1 Boxing system



A complete boxing system to produce custom-made boxes, cases, folders and other types of protective packagings especially for cultural artefacts.

All components of this system including the KLUG board and paper material supplement each other and are optimized for the individual requirements of libraries, archives and museums. The main components of the boxing system are: one or more book measuring devices, a digital cutter, CAD/CAM software to design the products.

We offer financial possibilities to either lease or purchase the boxing system.

Please contact our sales team for more information.



Storage conditions of paper and board

Recommended storage instructions for paper and board

Paper and board are materials possessing hygroscopic properties. That means they can either absorb or release moisture from the atmospheric surroundings. Hygroscopic materials are constantly trying to compensate moisture differences between the surrounding ambient air. This is a never-ending dynamic process.

Since the relative humidity depends upon the prevailing weather conditions, there are often strong fluctuations. These weather fluctuations have a significant influence on storage conditions especially in non-temperature-conditioned storage rooms.

KLUG products are produced and stored under controlled environmental conditions with a constant relative humidity between 45% and 60%. In the case of large temperature variations between the material and ambient air there is a great risk of the material warping, shrinking or in fact even increasing. (Size and format difference up to several mm possible!)

Recommended storage conditions

- Temperature 18 – 20 °C (64.4 – 68 °F)
- Relative humidity 50 – 55%

For further information regarding storage conditions of paper and board please refer to our website klug-conservation.com.

Sales terms and conditions

Prices: We offer subject to confirmation (subject to revision without notice) exclusive VAT (net value). VAT is chargeable to EU-customers, unless your VAT ID number is supplied to us. VAT is legally required on the total cost of goods and carriage. Exports outside the European Union are not subject to VAT excluding other indirect taxes and custom charges.

Payment terms: As agreed upon and specified in an offer, preferably by bank transfer in Euros with all bank charges paid.

Packaging and delivery: Packaging cost is free of charge for net order value of ≥ 750 Euros, excluding packaging for bulky and oversize goods. Delivery costs are calculated based on your enquiry.

Delivery instructions: Please inspect your package immediately upon delivery. In case of any visible damage, please make a note on the freight document and have it confirmed by the haulage driver before signing the receipt document. This allows us to claim compensation for damages from our transport insurance.

If the goods ordered are delivered by a shipping company under Incoterm® DAP (Delivered At Place), the consignee is responsible for unloading the goods, including parcels and pallets from the truck. Please let us know beforehand with your enquiry if you prefer a different Incoterm® and also if you do not have the necessary equipment to unload pallets or transport the goods to the building. After coordinating with our shipping partners, we are confident that we will find a suitable solution for your requirements.

Place of performance and jurisdiction is Immenstadt in Allgäu/Germany. Otherwise we refer to our "General business terms and conditions".

Brochure information with effect from July 2026.

KLUG-CONSERVATION
Walter Klug GmbH & Co. KG
Zollstrasse 2
87509 Immenstadt/Germany

Telephone +49 (0)8323 9653 30
Telefax +49 (0)8323 9653 399 30
info@klug-conservation.com
www.klug-conservation.com